

AIRACE ENTERPRISE CO., LTD.



NO.2 ,Lane 187, Shi Hoo Rd., Tali Dist., Taichung City, Taiwan, R.O.C.
Tel: 886-4-2496 4761 E-mail: service@airace.com.tw
Fax: 886-4-2496 9962 E-mail: airace@airace.com.tw
<http://www.airace-cycling.com>

Authorised Agent



IDEAS FOR CONVENIENCE



INFINITY SS

Innovation Floor Pump for Both Air-Suspension Shock and Tire



Features:

- Innovative floor pump for both air-suspension shock and tire
- Alum barrel and base
- Fabric braided hose for high pressure
- Patented pump head for both "shock & tire"
- Air-bleeder for 2-3psi air-pressure control
- 2-Tone handle
- 3" gauge
- Max. pressure 240 psi (16.5 bar)
- Dealer's favorite

產品特色

- 創新氣壓式避震器與輪胎兩用型落地式打氣筒
- 鋁合金材質打氣筒
- 專利的避震器與輪胎兩用風嘴頭
- 編織耐高壓的軟管
- 附微洩壓洩氣調整功能
- 鋁合金材質腳座
- 軟硬雙材質把手
- 3英寸壓力錶
- 最高壓力400psi (21 bar)
- 專業腳踏車店主的最愛 (AF-26)

HEIGHT: 66.2cm WEIGHT: 1382g



▲ Shock and Tire Pump Head

AIRSTORMER SWITCH

HP/HV 4" Over-Sized Dual-Scale Gauge Steel Floor Pump




Features:

- Switch HIGH VOLUME and HIGH PRESSURE mode by switch lever on handle top
- Dual-Scale Gauge display for Low pressure and High pressure:
 - » 0-35psi zone: 1psi digit gap, special for FAT tire & MTB
 - » 35-140psi zone: Fit for Road bike tire and trekking bike
- Over-sized 4" big gauge, easy to read the pressure
- Clever Valve w/Thumb-Touch lever
 - » One hand operation thumb-touch lever
 - » Clever Valve: Auto-switch for Presta and Schrader
- Steel barrel and base
- Ball needle and plastic valve stored inside the handle caps

產品特色

- 可透過把手頂部的扳手切換HIGH VOLUME/HIGH PRESSURE模式
- 雙線性錶低壓區和高壓區,壓力錶刻度顯示為:
 - » 0-35psi區域:1個刻度為1psi,FAT輪胎和MTB專用
 - » 35-140psi區域:適合公路車輪胎和健行自行車
- 超大4英寸壓力錶,更容易讀取壓力值
- 有按壓式扳手並可單手操作的聰明頭,自動切換法式嘴、美式嘴
- 鐵材質的汽缸及腳座
- 把手兩側把手塞有儲存球針及氣嘴 (AF-25)

HEIGHT: 69.2cm WEIGHT: 1634g



▲ For FAT/MTB/Road bike/ Trekking bike



▲ Clever Valve w/ Thumb-Touch lever

AIRSTORMER SPORT

4" Over-Sized Dual-Scale Gauge
Steel Floor Pump



Features:

- Dual-Scale Gauge display for Low pressure and High pressure:
 - » 0-35psi zone: 1psi digit gap, special for FAT tire & MTB
 - » 35-140psi zone: Fit for Road bike tire and trekking bike
- Clever Valve w/Thumb-Touch lever
- One hand operation thumb-touch lever
- Clever Valve: Auto-switch for Presta and Schrader
- Over-sized 4" big gauge, easy to read the pressure
- Steel barrel and base

產品特色

- 雙線性錶低壓區和高壓區,壓力錶刻度顯示為:
 - » 0-35psi區域:1個刻度為1psi,FAT輪胎和MTB專用
 - » 35-140psi區域:適合公路車輪胎和健行自行車
- 超大4英寸壓力錶,更容易讀取壓力值
- 有按壓式扳手並可單手操作的聰明頭,自動切換法式嘴、美式嘴
- 鐵材質的汽缸及腳座 (AF-24)

HEIGHT: 66.9cm WEIGHT: 1474g



▲ For FAT/MTB/Road bike/Trekking bike



▲ Clever Valve w/Thumb-Touch lever

AIRSTORMER II

3" Dual-Scale Gauge
Steel Floor Pump



Features:

- Durable steel barrel and base
- Dual-Scale gauge display for Low Pressure and High Pressure:
 - » 0-40psi zone : 1psi digit gap, special for FAT/MTB Tire and gravel bike
 - » 40-160psi zone : Fit for Trekking/Road tire
- Clever Valve w/Thumb-Touch lever
- One hand operation thumb-touch lever
- Clever Valve : Auto-switch for Presta and Schrader
- Ergonomic 2-Tone soft touch handle
- Max. pressure 160 psi (11 bar)

產品特色

- 鐵材質落地式打氣筒附帶3英寸雙線性壓力錶
- 在0-40PSI: 每個刻度是1PSI,適用於胖胎、登山車及砂礫車輪胎
- 在40-160PSI: 適用於公路車輪胎
- 3英寸壓力錶,容易看清楚壓力值
- 有按壓式扳手並可單手操作的聰明頭、自動切換法式嘴、美式嘴
- 軟硬雙材質把手
- 鐵材質汽缸及腳座
- 最高壓力160psi (11 bar) (AF-22)

HEIGHT: 67cm WEIGHT: 1740g



▲ For FAT/MTB/Gravel bike/Trekking/Road Tire



▲ Clever Valve w/Thumb-Touch lever

WINDPRO P

Steel Floor Pump
W/Entry Level Plastic Clever-Twin-Valve Head



Features:

- Steel barrel
- Entry level plastic Clever-Twin-Valve (CTV-P) with Thumb-Lock lever
- Fit for Schrader, Presta, Dunlop and E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- 2.5" gauge
- Max. pressure 160 psi (11 bar)

產品特色

- 鐵材質汽缸
- 指壓式"入門款塑膠雙向氣嘴聰明頭"
- 適用美式嘴,法式嘴,德式嘴與英式氣嘴
- 獨特安全氣密裝置,法式嘴在高壓力下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 2.5英寸壓力錶
- 最高壓力160psi (11 bar) (AF-11)

HEIGHT: 67cm WEIGHT: 1272g





Features:

- Aluminum barrel
- Steel base
- Economic Clever-Twin-Valve (CTV-A) with alum Thumb-Lock lever
- Fit for Schrader, Presta, Dunlop and E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- 2.5" gauge
- Max. pressure 200 psi (14 bar)

產品特色

- 鋁合金汽缸
- 鐵材質腳座
- 指壓式“經濟型雙向氣嘴聰明頭”搭配鋁合金扳手
- 適用美式嘴、法式嘴、德式嘴與英式氣嘴
- 獨特安全氣密裝置,法式嘴在高壓力下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 2.5 英寸壓力錶
- 最高壓力200psi (14 bar)

(AF-13)

HEIGHT: 67cm WEIGHT: 1593g



Fit for
**SCHRADER
PRESTA
DUNLOP and E/V**



Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- High polish aluminum floor pump
- Aluminum handle & barrel
- Aluminum die-casting base
- Thumb-Lock Clever-Twin-Valve with air-bleeder
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure 200 psi
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 200 psi (14 bar)
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)



Pump pressure can be read on smart mobile devices

產品特色

- 配備藍牙4.0,可透過打氣筒上的藍牙,直接在智慧型行動裝置的應用程式“iGauge”上讀取打氣筒的壓力值
- 亮面拋光鋁合金落地式打氣筒
- 鋁合金把手和汽缸
- 鋁合金壓鑄腳座
- 指壓式“雙向氣嘴聰明頭”附洩氣鈕
- 適用美式嘴、法式嘴、德式嘴與英式氣嘴
- 獨特安全氣密裝置,法式嘴在高壓力200psi下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 建議最高壓力值200psi (14 bar)
- 適用的智慧型行動裝置版本和更多資訊,請參考 iGauge 網站 (AF-14BT)

HEIGHT: 67cm WEIGHT: 1.38kg



Fit for
**SCHRADER
PRESTA
DUNLOP and E/V**



Features:

- Aluminum handle and barrel
- Aluminum die-casting base
- Thumb-Lock Clever-Twin-Valve with air-bleeder
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure 240 psi
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- 2.5" gauge
- Max. pressure 240 psi (16.5 bar)

產品特色

- 鋁合金把手與汽缸
- 鋁合金壓鑄腳座
- 指壓式“雙向氣嘴聰明頭”附洩氣鈕
- 適用美式嘴, 法式嘴, 德式嘴與英式氣嘴
- 獨特安全氣密裝置, 法式嘴在高壓力240psi下仍舊穩定, 不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成, 將打氣筒風嘴頭從輪胎氣嘴拔出時, 法式嘴不會因此分離
- 2.5 英寸壓力錶
- 最高壓力240psi (16.5 bar) (AF-14)(AF-14W)

HEIGHT: 67cm WEIGHT: 1540g



Fit for
**SCHRADER
PRESTA
DUNLOP and E/V**



Fit for SCHRADER ▲

▲ Fit for PRESTA, DUNLOP & E/V



Features:

- Tubeless floor pump with dynamic display LCD digital gauge
- Alum integrally formed barrel and pressurized tank
- Special designed barrel for easier high-pressure inflation.
- Charge pressure tank up to 240psi and a blast of air will seat a tubeless tire
- 2-Tone handle, steel base
- CTV-TU pump head fits for Schrader, Presta, Dunlop & E/V
- Turn the small lever on pump head can choose "For tank" or "For tire"
- Max. pressure 240 psi (16.5 bar)

產品特色

- 動態壓力顯示彩色LCD電子錶無內胎打氣筒
- 鋁合金汽缸含儲氣缸一體成型
- 汽缸的特殊設計使得打到高壓更容易
- 將儲氣缸充氣到240PSI快速的釋放充氣, 可安裝好無內胎輪胎
- 軟硬雙材質把手, 鐵材質腳座
- CTV-TU風嘴頭組適用美式嘴, 法式嘴, 德式嘴與英式氣嘴
- 用風嘴頭上的小扳手可以轉換要儲氣或者是要輪胎打氣
- 最高壓力240psi (16.5 bar) (AF-19T)

HEIGHT: 69.5cm WEIGHT: 1650g



▲ Fit for Tubeless Tire



▲ Dynamic display LCD digital gauge



Tire Mode ▲



▲ Tubeless Mode



Features:

- Aluminum barrel
- Aluminum die-casting base
- Economic Clever-Twin-Valve (CTV-A) with alum Thumb-Lock lever
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- 2.5" gauge
- Max. pressure 240 psi (16.5 bar)

產品特色

- 鋁合金汽缸
- 鋁合金壓鑄腳座
- 指壓式“經濟型雙向氣嘴聰明頭”搭配鋁合金扳手
- 適用美式嘴, 法式嘴, 德式嘴與英式氣嘴
- 獨特安全氣密裝置, 法式嘴在高壓力240psi下仍舊穩定, 不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成, 將打氣筒風嘴頭從輪胎氣嘴拔出時, 法式嘴不會因此分離
- 2.5英寸壓力錶
- 最高壓力240psi (16.5 bar)
- (AF-14B)

HEIGHT: 67cm WEIGHT: 1545g



Fit for
**SCHRADER
PRESTA
DUNLOP and E/V**



Features:

- Dynamic display LCD digital gauge
- 6063 Aluminum barrel with anodized sleeve
- 2-Tone handle
- Aluminum base
- Twin-Valve pump head with air-bleeder button
- Max. pressure 240 psi (16.5 bar)

產品特色

- 動態壓力顯示彩色LCD電子錶
- 6063鋁合金汽缸
- 軟硬雙材質把手
- 鋁合金材質腳座
- 雙頭氣嘴適用美式與法式氣嘴附微洩壓鈕
- 最高壓力240psi (16.5 bar)
- (AF-19)

HEIGHT: 75cm WEIGHT: 2140g



▲ Dynamic display LCD digital gauge



◀ Twin-Valve
Twin-Valve schrader/presta

AIRSTORMER

I

Aluminum Floor Pump W/2.5" Dual-Scale Top-Mounted Gauge



Features:

- Alum barrel and steel base
- Dual-Scale gauge display for Low Pressure and High Pressure
 - » 0-40psi zone: 1psi digit gap, special for FAT/MTB tire and gravel bike
 - » 40-160psi zone: Fit for Road bike tire
- Clever Valve w/Thumb-Lock lever
- One head operation thumb-touch lever
- Clever Valve: Auto-switch for Presta and Schrader
- Ergonomic 2-Tone soft touch handle
- Max. pressure 160 psi (11 bar)

產品特色

- 鋁合金落地式打氣筒附帶2.5英寸雙線性壓力錶
- 在0~40PSI: 每個刻度是1PSI, 適用於胖胎、登山車及砂礫車輪胎
- 在40~160PSI: 適用於公路車輪胎
- 鋁合金汽缸, 鐵材質腳座
- 2.5英寸上方式壓力錶, 容易看清楚壓力值
- 有按壓式扳手並可單手操作的聰明頭、自動切換法式嘴, 美式嘴
- 軟硬雙材質把手
- 最高壓力160psi (11 bar)

(AF-21)

HEIGHT: 67cm WEIGHT: 1430g



▲ For FAT/MTB/Gravel bike/
ROAD Tire



▲ Clever Valve
w/ Thumb-Touch lever

INFINITY

A



Aluminum Floor Pump W/Innovative Outlooking Barrel

Features:

- Advanced technology for "TOP THIN BOTTOM FAT" outlook. Also provide additional stability when pump is placed on the ground
- Aluminum barrel
- Aluminum die-casting base
- 2-Tone handle
- Max. pressure 240 psi (16.5 bar)
- 2.5" gauge

產品特色

- 提高置放時的穩定度
- 鋁合金材質氣筒
- 鋁合金材質腳座
- 軟硬雙材質把手
- 最高壓力240psi (16.5 bar)
- 2.5英寸壓力錶 (AF-15)

HEIGHT: 73.0cm

WEIGHT: 1830g



Clever Valve
simply lift up lever,
no reverse

INFINITY

ST

Steel Floor Pump W/Innovative Outlooking Barrel



Features:

- Advanced technology for "TOP THIN BOTTOM FAT" outlook. Also provide additional stability when pump is placed on the ground
- Aluminum barrel
- Steel base
- 2-Tone handle
- Max. pressure 240 psi (16.5 bar)
- 2.5" gauge

產品特色

- 提高置放時的穩定度
- 鋁合金材質氣筒
- 鐵材質腳座
- 軟硬雙材質把手
- 最高壓力240psi (16.5 bar)
- 2.5英寸壓力錶 (AF-17)

HEIGHT: 74.0cm

WEIGHT: 2610g



Single Valve
reversible presta
and schrader

**Features:**

- Advanced technology for "TOP THIN BOTTOM FAT" outlook. Also provides additional stability when pump is placed on the ground
- Internal aluminum barrel with plastic outlooking sleeve
- Steel base
- 2-Tone handle
- Max. pressure 180 psi (12.5 bar)
- 2.5" gauge

產品特色

- 提高置放時的穩定度
- 鋁合金汽缸搭配塑膠外型套管
- 鐵材質腳座
- 軟硬雙材質把手
- 最高壓力180psi (12.5 bar)
- 2.5英寸壓力錶 (AF-18)

HEIGHT: 74.0cm WEIGHT: 1800g



Clever Valve
simply lift up lever,
no reverse

**CTV****Features:**

- Thumb-Lock Clever-Twin-Valve with air-bleeder
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure 240 psi
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike

產品特色

- 指壓式"雙向氣嘴聰明頭"附洩氣鈕
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 獨特安全氣密裝置, 法式嘴在高壓力240 psi下仍舊穩定, 不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成, CTV風嘴頭從輪胎氣嘴拔出時, 法式嘴不會因此分離

**CTV-TU****Features:**

- Special pump head design for Tubeless pump.
- With switchable little lever, for "tank" or for "tire"
- Alum Clever-Twin-Valve for Schrader, Presta and Dunlop.
- Secure-sealed Presta valve will not disengage under high pressure 240 psi.

產品特色

- 為無內胎打氣嘴特別設計的風嘴頭
- 設有可切換小扳手, 可切換"儲氣"或"充氣"
- 鋁合金指壓式雙向聰明頭, 適用美式嘴、法式嘴與德式氣嘴
- 獨特安全氣密裝置, 法式嘴在高壓力240 psi下仍舊穩定, 不會彈跳出來

**ACH****Features:**

- Clever Valve Presta & Schrader auto-switch
- Alum cap

產品特色

- 聰明嘴, 美、法式共用, 自動切換
- 鋁合金氣嘴蓋

**ACV****Features:**

- Clever Valve Presta and Schrader auto-switch
- Air-bleeder
- Alum lever

產品特色

- 聰明嘴, 美、法式共用, 自動切換
- 附洩氣氣嘴
- 鋁合金指壓鎖柄

**CTV-A****Features:**

- Economic Clever-Twin-Valve (CTV-A) with aluminum Thumb-Lock lever
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure 240 psi
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike

產品特色

- 指壓式"經濟型雙向氣嘴聰明頭"搭配鋁合金扳手
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 獨特安全氣密裝置, 法式嘴在高壓力240 psi下仍舊穩定, 不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成, CTV-A風嘴頭從輪胎氣嘴拔出時, 法式嘴不會因此分離

**ATH****Features:**

- Lockable Presta and Schrader Twin-Valve
- Air-bleeder
- Alum cap

產品特色

- 美、法式雙頭氣嘴
- 附洩氣氣嘴
- 鋁合金風嘴蓋

**ATD****Features:**

- Lockable Presta, Schrader & Dunlop Twin-Valve
- Air-bleeder
- Alum cap

產品特色

- 美、法式雙頭氣嘴
- 附洩氣氣嘴
- 鋁合金風嘴蓋

**AS-CO****Features:**

- Use to open the pump cylinder when you need to change the o-ring or to grease up the pump cylinder
- Cylinder opener for INFINITY floor pump series
- With 3c.c lubricant oil

產品特色

- 當有更換汽缸內O型環或添加潤滑油的需求時, 可以使用上蓋旋開工具, 旋開上蓋來使用
- 上蓋旋開工具適用於INFINITY系列打氣筒
- 附3c.c 矽脂潤滑油包

**CTV-P****Features:**

- Entry level plastic Clever-Twin-Valve (CTV-P) with Thumb-Lock lever
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike

產品特色

- 指壓式"入門款塑膠雙向氣嘴聰明頭"
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 獨特安全氣密裝置, 法式嘴在高壓力下仍舊穩定, 不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成, CTV-P風嘴頭從輪胎氣嘴拔出時, 法式嘴不會因此分離

**CTV-I****Features:**

- Thumb-Lock Clever-Twin-Valve with air-bleeder
- Fit for Schrader, Presta, Dunlop & E/V
- Presta is secure sealed and won't pop out till 240 psi
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Special I-line design pump head

產品特色

- 指壓式"雙向氣嘴聰明頭"附洩氣鈕
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 獨特安全氣密裝置, 可承受壓力至240 psi仍不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成, CTV-I風嘴頭從輪胎氣嘴拔出時, 法式嘴不會因此分離
- 特別的I型設計風嘴頭

**LPH****Features:**

- Reversible Presta and Schrader
- Alum cap and lever

產品特色

- 可轉換美式嘴與法式氣嘴
- 附洩氣氣嘴
- 鋁合金風嘴蓋與指壓鎖柄

**AS-CO 1****Features:**

- Use to open the pump cylinder when you need to change the o-ring or to grease up the pump cylinder
- Cylinder opener for WINDPRO floor pump series
- With 3c.c lubricant oil

產品特色

- 當有更換汽缸內O型環或添加潤滑油的需求時, 可以使用上蓋旋開工具, 旋開上蓋來使用
- 上蓋旋開工具適用於WINDPRO系列打氣筒
- 附3c.c 矽脂潤滑油包

IDEAS For Convenience

Innovative Floor Pump for
Both Air-Suspension Shock and Tyre





Floor Pump Series
Alum Floor Pump
W/Innovative Outlooking Barrel

ROAD

WINDPRO 90 S

- Features:**
- Extractable hose with 90 degree elbow connector function
 - Alum CNC handle and barrel
 - Soft material on barrel and top cap for comfortable touch
 - Alum valve: Screw-in Flip Twin-Valve for Presta and Schrader
 - The first super-micro size for extractable hose series mini pump
 - Max. pressure 120 psi (8 bar)
 - Light weight 53g



- 產品特色**
- 可抽出式軟管,具備90度彎折連接功能
 - 鋁合金CNC把手、汽缸
 - 汽缸底部、打氣筒頂部有軟料包覆,觸感舒適
 - 鋁合金鎖牙式翻轉風嘴頭,適用美式嘴與法式嘴
 - 長度 5 英寸超迷你尺寸,便於攜帶
 - 第一支極短可抽出軟管系列迷你打氣筒
 - 最高壓力 120 psi (8 bar)
 - 極轻量化 53g (AP-90S)



53g
LIGHT WEIGHT

LENGTH: 12.7cm WEIGHT: 53g

NORMAL

WINDPRO 90 CO2

- Features:**
- Extractable hose with 90 degree elbow connector function
 - Alum CNC barrel
 - Screw-in valve
 - Presta only
 - Soft material on barrel and top cap for comfortable touch
 - Max. pressure 80 psi (5.5 bar)
 - Mode 1: CO2 inflator mode
 - Mode 2: Mini pump
 - Attach with 16g/20g cartridge cober (Optional 25g cartridge cover)
 - Bracket available for carrying 2 CO2 cartridges
 - Light weight 89g



- 產品特色**
- 可抽出式軟管,具備90度彎折連接功能
 - 鋁合金CNC汽缸
 - 適用法式嘴
 - 汽缸底部、打氣筒頂部有軟料包覆,觸感舒適
 - 最高壓力80psi (5.5 bar)
 - 兩種打氣模式: CO2充氣、手動打氣
 - 附鋼瓶套,適用16克/20克CO2氣瓶(可選配25克專用鋼瓶)
 - 固定夾可攜帶,2個CO2氣瓶 (AP-90C)



50cc
HIGH VOLUME

LENGTH: 14.3cm WEIGHT: 88.6g

MOUNTAIN

WINDPRO 90 SWITCH

- Features:**
- Extractable hose with 90 degree elbow connector function
 - Switchable mode for High Volume and High Pressure
 - Alum CNC handle and barrel
 - Soft material on barrel and top cap for comfortable touch
 - Alum valve: Screw-in Flip Twin-Valve for Presta and Schrader
 - Max. pressure 30psi (2 bar)/120psi (8 bar)



- 產品特色**
- 可抽出式軟管,具備90度彎折連接功能
 - 可切換大氣量或高壓力模式
 - 鋁合金CNC把手、汽缸
 - 汽缸底部、打氣筒頂部有軟料包覆,觸感舒適
 - 鋁合金鎖牙式翻轉風嘴頭,適用美式嘴與法式嘴
 - 最高壓力30psi(2 bar)/120psi(8 bar) (AP-90PV)



80cc
HIGH VOLUME

LENGTH: 15.7cm WEIGHT: 143.2g

MINI PUMP

NORMAL



FIT REGULAR



FIT CNC



FIT CARBON

- FIT REGULAR**
Aluminum barrel with elegant double anodize finish
鋁合金筒配合表面高雅雙色層處理
(AP-84)
LENGTH: 21.0cm WEIGHT: 120g

- FIT CNC**
CNC Aluminum pump head
精密CNC加工,鋁合金風嘴頭
(AP-84A)
LENGTH: 21.5cm WEIGHT: 100g

- FIT CARBON**
Carbon barrel
碳纖維汽缸
(AP-84C)
LENGTH: 21.5cm WEIGHT: 100g

- Features:**
- Pump head attached with extractable hose which can protect tire valve from damage when inflating
 - Aluminum lever
 - Reversible Schrader, Presta and Dunlop
 - Max. pressure 100 psi (7 bar)
 - Pocket size, convenient for carry
 - Dust-cap

- 產品特色**
- 附隱藏式膠管的風嘴頭,打氣時可保護輪胎氣嘴不受損壞
 - 鋁合金指壓鎖柄
 - 可轉換美式嘴、法式嘴與德式氣嘴
 - 最高壓力100psi (7 bar)
 - 口袋型尺寸,易於攜帶
 - 防塵蓋

ROAD

FIT ROAD

- Features:**
- Pump head attached with extractable hose which can protect tire valve from damage when inflating
 - Aluminum barrel
 - Reversible for Schrader, Presta and Dunlop
 - Max. pressure 120 psi (8 bar)
 - Dust cap

- 產品特色**
- 附隱藏式膠管的風嘴頭,打氣時可保護輪胎氣嘴不受損壞
 - 鋁合金筒
 - 鋁合金指壓鎖柄
 - 可轉換美式嘴、法式嘴與德式氣嘴
 - 最高壓力120psi (8 bar)
 - 防塵蓋 (AP-85)



LENGTH: 25.0cm WEIGHT: 120g

MOUNTAIN

ROAD

FIT H2

Features:

- Pump head attached with extractable hose which can protect tire valve from damage when inflating
- Aluminum barrel
- Aluminum lever
- 2 Stage for "HIGH PRESSURE HIGH VOLUME"
- Reversible Schrader, Presta and Dunlop
- Max. pressure 120 psi (8 bar)
- Dust cap

產品特色

- 隱藏式膠管的風嘴頭,打氣時可保護輪胎氣嘴不受損壞
- 鋁合金筒
- 鋁合金指壓鎖柄
- 全能型打氣筒可同時適用"大氣量或高壓力"的打氣模式
- 可轉換美式嘴、法式嘴與德式氣嘴
- 最高壓力120psi (8 bar)
- 防塵蓋

LENGTH: 24.0cm WEIGHT: 120g



reddot design award winner 2010



High pressure

High volume



Extractable hose

NORMAL

FIT TELE R

Features:

- Pump head attached with extractable hose which can protect tire valve from damage when inflating
- Aluminum lever
- Telescope design
- Reversible Schrader, Presta and Dunlop
- Max. pressure 100 psi (7 bar)
- Micro size for easy carry
- Dust-cap

產品特色

- 附隱藏式膠管的風嘴頭,打氣時可保護輪胎氣嘴不受損壞
- 鋁合金指壓鎖柄
- 三節疊縮式設計
- 可轉換美式嘴、法式嘴與德式氣嘴
- 最高壓力100psi (7 bar)
- 超迷你尺寸,易於攜帶
- 防塵蓋

LENGTH: 17.0cm WEIGHT: 120g



FIT TELE R COLORS

MOUNTAIN

FIT TELE M

Features:

- Pump head attached with extractable hose which can protect tire valve from damage when inflating
- Aluminum lever
- Telescope design
- Reversible Schrader, Presta and Dunlop
- Max. pressure 80 psi (5.5 bar)
- Micro size for easy carry
- Dust-cap

產品特色

- 附隱藏式膠管的風嘴頭,打氣時可保護輪胎氣嘴不受損壞
- 鋁合金指壓鎖柄
- 三節疊縮式設計
- 可轉換美式嘴、法式嘴與德式氣嘴
- 最高壓力80psi (5.5 bar)
- 超迷你尺寸,易於攜帶
- 防塵蓋

LENGTH: 16.5cm WEIGHT: 140g



FIT TELE M COLORS

ROAD



WINDPRO ROAD


Features:

- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Max. pressure 120 psi (8 bar)
- For road bike

產品特色

- 鋁合金 CNC 攜帶式打氣筒
- 指壓式“雙向氣嘴聰明頭”
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 獨特安全氣密裝置, 法式嘴在高壓下仍舊穩定, 不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成, 將打氣筒風嘴頭從輪胎氣嘴拔出時, 法式嘴不會因此分離
- 最高壓力 120psi (8 bar)
- 適用於公路車 (AP-14)

LENGTH: 26.6cm WEIGHT: 121.8g



NORMAL



WINDPRO REGULAR

Features:

- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Max. pressure 100 psi (7 bar)
- For road bike & mountain bike

產品特色

- 鋁合金 CNC 攜帶式打氣筒
- 指壓式“雙向氣嘴聰明頭”
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 可輕鬆咬合氣嘴
- 打氣完成, 將打氣筒風嘴頭從輪胎氣嘴拔出時, 法式嘴不會因此分離
- 最高壓力 100psi (7 bar)
- 公路車和登山車皆適用 (AP-15)

LENGTH: 22cm WEIGHT: 112g



MOUNTAIN



WINDPRO MOUNTAIN

Features:

- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Max. pressure 80 psi (5.5 bar)
- For mountain bike

產品特色

- 鋁合金 CNC 攜帶式打氣筒
- 指壓式“雙向氣嘴聰明頭”
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 可輕鬆咬合氣嘴
- 打氣完成, 將打氣筒風嘴頭從輪胎氣嘴拔出時, 法式嘴不會因此分離
- 最高壓力 80psi (5.5 bar)
- 適用於登山車 (AP-16)

LENGTH: 22.2cm WEIGHT: 139.3g



ROAD



iWINDPRO Road

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 120 psi (8 bar)
- For road bike
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙 4.0: 可透過打氣筒上的藍牙, 直接在智慧型行動裝置的應用程式 "iGauge" 上, 讀取打氣筒的壓力值
- 鋁合金 CNC 攜帶式打氣筒
- 指壓式“雙向氣嘴聰明頭”
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 獨特安全氣密裝置, 法式嘴在高壓下仍舊穩定, 不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成, 將打氣筒風嘴頭從輪胎氣嘴拔出時, 法式嘴不會因此分離
- 建議最高壓力值 120psi (8 bar)
- 適用於公路車
- 適用的智慧型行動裝置版本和更多資訊, 請參考 iGauge 網站 (www.airace-cycling.com)

(AP-14BT) LENGTH: 28.8cm WEIGHT: 144.3g



Bluetooth
Pump pressure can be read on smart mobile devices



NORMAL



iWINDPRO Regular

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 100 psi (7 bar)
- For road bike & mountain bike
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙 4.0：可透過打氣筒上的藍牙，直接在智慧型行動裝置的應用程式 "iGauge" 上，讀取打氣筒的壓力值
- 鋁合金 CNC 攜帶式打氣筒
- 指壓式 "雙向氣嘴聰明頭"
- 適用美式嘴、法式嘴、德式嘴與英式氣嘴
- 獨特安全氣密裝置，法式嘴在高壓下仍舊穩定，不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成，將打氣筒風嘴頭從輪胎氣嘴拔出時，法式嘴不會因此分離
- 建議最高壓力值 100psi (7 bar)
- 公路車 & 登山車皆適用
- 適用的智慧型行動裝置版本和更多資訊，請參考 iGauge 網站 (www.airace-cycling.com)

(AP-15BT) LENGTH: 24.7cm WEIGHT: 139.5g



Pump pressure can be read on smart mobile devices



Fit for
SCHRADER
PRESTA
DUNLOP and E/V

MOUNTAIN



iWINDPRO Mountain

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 80 psi (5.5 bar)
- For mountain bike
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙 4.0：可透過打氣筒上的藍牙，直接在智慧型行動裝置的應用程式 "iGauge" 上，讀取打氣筒的壓力值
- 鋁合金 CNC 攜帶式打氣筒
- 指壓式 "雙向氣嘴聰明頭"
- 適用美式嘴、法式嘴、德式嘴與英式氣嘴
- 獨特安全氣密裝置，法式嘴在高壓下仍舊穩定，不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成，將打氣筒風嘴頭從輪胎氣嘴拔出時，法式嘴不會因此分離
- 建議最高壓力值 80psi (5.5 bar)
- 適用於登山車
- 適用的智慧型行動裝置版本和更多資訊，請參考 iGauge 網站 (www.airace-cycling.com)

(AP-16BT) LENGTH: 26.7cm WEIGHT: 168.8g



Pump pressure can be read on smart mobile devices



Fit for
SCHRADER
PRESTA
DUNLOP and E/V

ROAD



WINDPRO 2.0 Road

Features:

- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Plastic non-slip handle sleeve
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Max. pressure 120 psi (8 bar)
- For road bike

產品特色

- 鋁合金 CNC 攜帶式打氣筒
- 指壓式 "雙向氣嘴聰明頭"
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 塑膠止滑把手套
- 獨特安全氣密裝置，法式嘴在高壓下仍舊穩定，不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成，將打氣筒風嘴頭從輪胎氣嘴拔出時，法式嘴不會因此分離
- 最高壓力 120psi (8 bar)
- 適用於公路車 (AP-24I)

LENGTH: 26.5cm WEIGHT: 137.6g



Fit for
SCHRADER
PRESTA
DUNLOP and E/V

NORMAL



WINDPRO 2.0 Regular

Features:

- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Plastic non-slip handle sleeve
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Max. pressure 100 psi (7 bar)
- For road bike & mountain bike

產品特色

- 鋁合金 CNC 攜帶式打氣筒
- 指壓式 "雙向氣嘴聰明頭"
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 塑膠止滑把手套
- 獨特安全氣密裝置，法式嘴在高壓下仍舊穩定，不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成，將打氣筒風嘴頭從輪胎氣嘴拔出時，法式嘴不會因此分離
- 最高壓力 100psi (7 bar)
- 公路車和登山車皆適用 (AP-25I)

LENGTH: 22.1cm WEIGHT: 119.6g



Fit for
SCHRADER
PRESTA
DUNLOP and E/V

MOUNTAIN

WINDPRO 2.0 Mountain

Features:

- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Plastic non-slip handle sleeve
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Max. pressure 80 psi (5.5 bar)
- For mountain bike

產品特色

- 鋁合金 CNC 攜帶式打氣筒
- 指壓式"雙向氣嘴聰明頭"
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 塑膠止滑把手套
- 獨特安全氣密裝置,法式嘴在高壓下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 最高壓力80psi (5.5 bar)
- 適用於登山車 (AP-261)

LENGTH: 22.2cm WEIGHT: 141.3g



Fit for
SCHRADER
PRESTA
DUNLOP and E/V

ROAD



iWINDPRO 2.0 Road

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC high-polish aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Plastic non-slip handle sleeve
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 120 psi (8 bar)
- For road bike
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙 4.0: 可透過打氣筒上的藍牙,直接在智慧型行動裝置的應用程式"iGauge"上,讀取打氣筒的壓力值
- 鋁合金拋光CNC攜帶式打氣筒
- 指壓式"雙向氣嘴聰明頭"
- 適用美式嘴、法式嘴、德式嘴與英式氣嘴
- 塑膠止滑手套
- 獨特安全氣密裝置,法式嘴在高壓下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 建議最高壓力值120psi (8 bar)
- 適用於公路車
- 適用的智慧型行動裝置版本和更多資訊,請參考iGauge網站 (www.airace-cycling.com)

(AP-24BT) LENGTH: 28.7cm WEIGHT: 155.2g



Bluetooth
Pump pressure can be read on smart mobile devices



Fit for
SCHRADER
PRESTA
DUNLOP and E/V

NORMAL



iWINDPRO 2.0 Regular

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC high-polish aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Plastic non-slip handle sleeve
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 100 psi (7 bar)
- For road bike & mountain bike
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙 4.0: 可透過打氣筒上的藍牙,直接在智慧型行動裝置的應用程式"iGauge"上,讀取打氣筒的壓力值
- 鋁合金拋光CNC攜帶式打氣筒
- 指壓式"雙向氣嘴聰明頭"
- 適用美式嘴、法式嘴、德式嘴與英式氣嘴
- 塑膠止滑把手套
- 獨特安全氣密裝置,法式嘴在高壓下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 建議最高壓力值100psi (7 bar)
- 公路車&登山車皆適用
- 適用的智慧型行動裝置版本和更多資訊,請參考iGauge網站 (www.airace-cycling.com)

(AP-25BT) LENGTH: 24.7cm WEIGHT: 143.4g



Bluetooth
Pump pressure can be read on smart mobile devices



Fit for
SCHRADER
PRESTA
DUNLOP and E/V

MOUNTAIN



iWINDPRO 2.0 Mountain

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC high-polish aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Plastic non-slip handle sleeve
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 80 psi (5.5 bar)
- For mountain bike
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙 4.0: 可透過打氣筒上的藍牙,直接在智慧型行動裝置的應用程式"iGauge"上,讀取打氣筒的壓力值
- 鋁合金拋光CNC攜帶式打氣筒
- 指壓式"雙向氣嘴聰明頭"
- 適用美式嘴、法式嘴、德式嘴與英式氣嘴
- 塑膠止滑把手套
- 獨特安全氣密裝置,法式嘴在高壓下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 建議最高壓力值80psi (5.5 bar)
- 適用於登山車
- 適用的智慧型行動裝置版本和更多資訊,請參考iGauge網站 (www.airace-cycling.com)

(AP-26BT) LENGTH: 26.7cm WEIGHT: 166.2g



Bluetooth
Pump pressure can be read on smart mobile devices



Fit for
SCHRADER
PRESTA
DUNLOP and E/V

ROAD

TORCH ROAD

Features:

- CNC alum mini pump
- Innovative alum Thumb-Lock lever
- Dust cap with Pump-Fixing function
- Fit for Presta and Dunlop
- 5" length the super-micro size for easy carry
- Max. pressure 120 psi (8 bar)
- For road bike

產品特色

- CNC 加工鋁合金攜帶式打氣筒
- 創新鋁合金指壓式扳手
- 兼具固定打氣筒功能之防塵蓋
- 適用法式嘴和德式氣嘴
- 長度 5 英寸超迷你尺寸, 便於攜帶
- 最高壓力 120 psi (8 bar)
- 適用於公路車 (AP-46SL)

LENGTH: 12.8cm WEIGHT: 76.1g



NORMAL

TORCH REGULAR

Features:

- CNC alum mini pump
- Innovative alum Thumb-Lock lever
- Dust cap with Pump-Fixing function
- Fit for Schrader, Presta and Dunlop
- 5" length the super-micro size for easy carry
- Max. pressure 100 psi (7 bar)
- For road bike and mountain bike

產品特色

- CNC 加工鋁合金攜帶式打氣筒
- 創新鋁合金指壓式扳手
- 兼具固定打氣筒功能之防塵蓋
- 適用美式嘴、法式嘴和德式氣嘴
- 長度 5 英寸超迷你尺寸, 便於攜帶
- 最高壓力 100psi (7 bar)
- 公路車與登山車皆適用 (AP-47SL)

LENGTH: 12.8cm WEIGHT: 82.9g



MOUNTAIN

TORCH MOUNTAIN

Features:

- CNC alum mini pump
- Innovative alum Thumb-Lock lever
- Dust cap with Pump-Fixing function
- Fit for Schrader, Presta and Dunlop
- 5" length the super-micro size for easy carry
- Max. pressure 80 psi (5.5 bar)
- For mountain bike

產品特色

- CNC 加工鋁合金攜帶式打氣筒
- 創新鋁合金指壓式扳手
- 兼具固定打氣筒功能之防塵蓋
- 適用美式嘴、法式嘴和德式氣嘴
- 長度 5 英寸超迷你尺寸, 便於攜帶
- 最高壓力 80psi (5.5 bar)
- 適用於登山車 (AP-48SL)

LENGTH: 12.8cm WEIGHT: 94.3g



ROAD



iWINDPRO V.1 RD

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- Super-micro size 5.5" for easy carry
- Reversible for Schrader, Presta
- Suggested max. pressure: 120 psi (8 bar)
- For road bike
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙 4.0: 可透過打氣筒上的藍牙, 直接在智慧型行動裝置的應用程式 "iGauge" 上讀取打氣筒的壓力值
- 超迷你 14 公分, 便於攜帶
- 適用美式嘴、法式嘴
- 建議最高壓力值 120psi (8 bar)
- 適用於公路車
- 適用的智慧型行動裝置版本和更多資訊, 請參考 iGauge 網站 (www.airace-cycling.com) (AP-46BT)

LENGTH: 13.8cm WEIGHT: 80.8g



MOUNTAIN



iWINDPRO V.1 MTB

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- Super-micro size 5.5" for easy carry
- Reversible for Schrader, Presta
- Suggested max. pressure: 80 psi (5.5 bar)
- For mountain bike
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙 4.0: 可透過打氣筒上的藍牙, 直接在智慧型行動裝置的應用程式 "iGauge" 上讀取打氣筒的壓力值
- 超迷你 14 公分, 便於攜帶
- 適用美式嘴、法式嘴
- 建議最高壓力值 80psi (5.5 bar)
- 適用於登山車
- 適用的智慧型行動裝置版本和更多資訊, 請參考 iGauge 網站 (www.airace-cycling.com) (AP-48BT)

LENGTH: 13.8cm WEIGHT: 98.5g



ROAD



iWINDPRO V.2 RD

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- Small size 7.8" for easy carry
- Reversible for Schrader, Presta
- Suggested max. pressure: 120 psi (8 bar)
- For road bike
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙 4.0: 可透過打氣筒上的藍牙, 直接在智慧型行動裝置的應用程式 "iGauge" 上讀取打氣筒的壓力值
- 迷你尺寸 20 公分, 便於攜帶
- 適用美式嘴、法式嘴
- 建議最高壓力值 120psi (8 bar)
- 適用於公路車
- 適用的智慧型行動裝置版本和更多資訊, 請參考 iGauge 網站 (www.airace-cycling.com) (AP-43BT)

LENGTH: 19.8cm WEIGHT: 113.9g



Pump pressure can be read on smart mobile devices

MOUNTAIN



iWINDPRO V.2 MTB

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- Small size 7.8" for easy carry
- Reversible for Schrader, Presta
- Suggested max. pressure: 80 psi (5.5 bar)
- For mountain bike
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙4.0:可透過打氣筒上的藍牙,直接在智慧型行動裝置的應用程式"iGauge"上,讀取打氣筒的壓力值
- 迷你尺寸 20 公分,便於攜帶
- 適用美式嘴,法式嘴
- 建議最高壓力值80psi (5.5 bar)
- 適用於登山車
- 適用的智慧型行動裝置版本和更多資訊,請參考iGauge網站 (www.airace-cycling.com)

(AP-45BT)
LENGTH: 19.8cm WEIGHT: 136.4g



Pump pressure can be read on smart mobile devices



ROAD

WINDPRO V.1 RD

Features:

- Alum mini pump
- Innovative alum Thumb-Lock lever
- Reversible for Schrader, Presta
- Suggested max. pressure: 120 psi (8 bar)
- For road bike

產品特色

- 鋁合金攜帶式打氣筒
- 創新鋁合金指壓式扳手
- 適用美式嘴、法式嘴
- 建議最高壓力值:120psi (8 bar)
- 適用於公路車 (AP-43L)

LENGTH: 18.8cm WEIGHT: 107.5g



MOUNTAIN

WINDPRO V.1 MTB

Features:

- Alum mini pump
- Innovative alum Thumb-Lock lever
- Reversible for Schrader, Presta
- Suggested max. pressure: 80 psi (5.5 bar)
- For mountain bike

產品特色

- 鋁合金攜帶式打氣筒
- 創新鋁合金指壓式扳手
- 適用美式嘴、法式嘴
- 建議最高壓力值:80psi (5.5 bar)
- 適用於登山車 (AP-45L)

LENGTH: 18.8cm WEIGHT: 126.8g



MOUNTAIN

WINDPRO V2 MT

Features:

- Innovation designed alum inner barrel mini pump
- Alum top Thumb-Lock lever and valve cap
- Reversible for Schrader, Presta
- Suggested max. pressure: 100 psi (7 bar)
- For mountain bike

產品特色

- 鋁合金攜帶式打氣筒
- 鋁合金指壓式扳手、風嘴蓋
- 適用美式嘴、法式嘴
- 建議最高壓力值:100psi (7 bar)
- 適用於登山車 (AP-48A)

LENGTH: 20.8cm WEIGHT: 117.8g



ROAD

WINDPRO V2 RD

Features:

- Innovation designed alum inner barrel mini pump
- Alum top Thumb-Lock lever and valve cap
- Reversible for Schrader, Presta
- Suggested max. pressure: 120 psi (8 bar)
- For road bike

產品特色

- 鋁合金攜帶式打氣筒
- 創新鋁合金指壓式扳手
- 適用美式嘴、法式嘴
- 建議最高壓力值:120psi (8 bar)
- 適用於公路車 (AP-49A)

LENGTH: 20.8cm WEIGHT: 103.7g



MOUNTAIN

JET HV

Features:

- T-handle, 6063 alum barrel
- Alum lever
- Reversible Schrader, Presta and Dunlop
- Max. pressure 80 psi (5.5 bar)
- Dust-cap

產品特色

- T型手柄,6063鋁合金汽缸
- 鋁合金指壓鎖柄
- 可轉換美式嘴、法式嘴與德式氣嘴
- 最高壓力80psi (5.5 bar)
- 防塵蓋 (AP-06)

LENGTH: 26.0cm WEIGHT: 163g



SPEED FF

Features:

- Anti-pinch T-Handle w/safety lock
- Foldable stainless steel pedal
- Rotatable hose for better operation
- Clever Valve: Automatically change for Presta and Schrader
- W/alum valve cap and lever
- Aluminum barrel
- 1.75" dial gauge
- Max. pressure 120 psi (8 bar)


產品特色

- 防夾 T 把手,附安全卡榫按鈕
- 可折疊不銹鋼踏板
- 可旋轉式軟管,便於操作
- 聰明頭設計,可自動切換美式嘴與法式嘴
- 鋁合金風嘴蓋、扳手
- 鋁合金汽缸
- 帶有1.75吋圓錶
- 最高壓力120psi (8 bar)

(AM-97)
LENGTH: 43.0cm WEIGHT: 320g



140c.c
HIGH VOLUME



SPEED F3

Features:

- Anti-pinch T-Handle w/safety lock
- Foldable anti-rebound stainless steel pedal fixing lock
- Rotatable hose for better operation
- Clever Valve: Automatically change for Presta and Schrader
- W/alum valve cap and lever
- Aluminum barrel
- 1.5" dial gauge
- Max. pressure 120 psi (8 bar)

產品特色

- 防夾 T 把手,附安全卡榫按鈕
- 可折疊不銹鋼踏板,踏板有固定卡榫防止反彈
- 可旋轉式軟管,便於操作
- 聰明頭設計,適用於美式嘴與法式嘴
- 鋁合金風嘴蓋、扳手
- 鋁合金汽缸
- 帶有1.5吋圓錶
- 最高壓力120psi (8 bar)

(AM-96)
LENGTH: 33.7cm WEIGHT: 192.9g



SPEED F2


Features:

- Mini floor pump for fixed on frame
- Extractable hose
- High volume
- T-handle, Alum barrel
- Reversible for Schrader, Presta and Dunlop
- Alum lever and valve cap
- Max. pressure 140 psi (9.5 bar)

產品特色

- 車架固定型的落地式打氣筒
- 隱藏式可伸縮軟管
- 高效能,大氣量
- 摺疊式 T 型手柄,鋁合金氣筒
- 可轉換美式嘴、法式嘴與德式氣嘴
- 鋁合金指壓鎖柄與氣嘴蓋
- 最高壓力140psi (9.5 bar)

(AM-09)
LENGTH: 32.0cm WEIGHT: 210g



SPEED F2G


Features:

- Mini floor pump with high quality CNC gauge hiding inside the barrel
- Extractable hose which can protect tire valve from damage when inflating
- T-handle
- Reversible for Schrader, Presta and Dunlop
- Alum barrel, lever and valve cap
- Max. pressure 150 psi (10.5 bar)

產品特色

- 迷你落地型打氣筒附壓力錶,高品質 CNC 壓力錶可隱藏收入管身中
- 伸縮式加長軟管可保護輪胎氣嘴,軟管所產生的緩衝,可避免打氣時對輪胎氣嘴可能造成的損壞
- 摺疊式 T 型手柄
- 鋁合金氣筒,指壓鎖柄與氣嘴蓋
- 可轉換美式嘴、法式嘴與德式氣嘴
- 最高壓力150psi (10.5 bar)

(AM-91)
LENGTH: 35.0cm WEIGHT: 210g



▲ High quality CNC gauge



SPEED F2 ECONO

Features:

- Alum mini floor pump
- Alum barrel, T-Handle & hose tube
- Extractable hose — protecting tire valve from damage when inflating
- Innovative alum Thumb-Lock lever
- Fit for Schrader, Presta and Dunlop
- Max. pressure 140 psi (9.5 bar)

產品特色

- 鋁合金迷你落地型打氣筒
- 鋁合金汽缸、T 型把手、軟管筒身
- 伸縮式軟管—可保護輪胎氣嘴。其軟管所產生的緩衝,可避免打氣時對輪胎氣嘴可能造成的損壞
- 創新鋁合金指壓式扳手
- 適用於美式嘴、法式嘴與德式氣嘴
- 最高壓力140psi (9.5 bar)

(AM-93)
LENGTH: 28.0cm WEIGHT: 155.7g





SPEED F2 ECONO G

Features:

- Alum mini floor pump with gauge
- Alum barrel, T-Handle
- Extractable hose—protecting tire valve from damage when inflating
- Innovative alum Thumb-Lock lever
- Fit for Schrader, Presta and Dunlop
- Max. pressure 120 psi (8 bar)

產品特色

- 鋁合金迷你落地型打氣筒附壓力錶
- 鋁合金汽缸、T型把手
- 伸縮式軟管—可保護輪胎氣嘴，其軟管所產生的緩衝，可避免打氣時對輪胎氣嘴可能造成的損壞
- 創新鋁合金指壓式扳手
- 適用於美式嘴、法式嘴與德式氣嘴
- 最高壓力120psi (8 bar)

(AM-94)

LENGTH: 30.1cm WEIGHT: 163.9g



white

iSPEED F2 G

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC high-polish aluminum mini floor pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Extractable hose—protecting tire valve from damage when inflating
- Suggested max. pressure: 140 psi (9.5 bar)
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙 4.0：可透過打氣筒上的藍牙，直接在智慧型行動裝置的應用程式 "iGauge"，讀取打氣筒的壓力值
- 鋁合金 CNC 拋光攜帶式打氣筒
- 指壓式 "雙向氣嘴聰明頭"
- 適用美式嘴、法式嘴、德式嘴與英式氣嘴
- 獨特安全氣密裝置，法式嘴在高壓下仍舊穩定，不會彈跳出來
- 可輕鬆吹合氣嘴
- 打氣完成，將打氣筒風嘴頭從輪胎氣嘴拔出時，法式嘴不會因此分離
- 伸縮軟管—可保護輪胎氣嘴，其軟管所產生的緩衝，可避免打氣時對輪胎氣嘴可能造成的損壞
- 建議最高壓力值 140psi (9.5 bar)
- 適用的智慧型行動裝置版本及更多資訊，請參考 iGauge 網站 (www.airace-cycling.com)

(AM-93BT) LENGTH: 29.0cm WEIGHT: 165.8g

Bluetooth
Pump pressure can be read on smart mobile devicesFit for
SCHRADER
PRESTA
DUNLOP and E/V

iSPEED HV

Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC high-polish aluminum jumbo size barrel mini floor pump can pump to high pressure more efficiently
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Extractable hose—protecting tire valve from damage when inflating
- Suggested max. pressure: 140 psi (9.5 bar)
- For supported versions of smart mobile devices & more information, please browse iGauge website (www.airace-cycling.com)

產品特色

- 配備藍牙 4.0：藉由打氣筒上的藍牙，透過智慧型行動裝置的應用程式 "iGauge"，讀取打氣筒的壓力值
- 鋁合金 CNC 拋光迷你落地式打氣筒，大氣量設計可更快速有效率的打到高壓
- 指壓式 "雙向氣嘴聰明頭"
- 適用美式嘴、法式嘴、德式嘴與英式氣嘴
- 伸縮軟管—可保護輪胎氣嘴，其軟管所產生的緩衝，可避免打氣時對輪胎氣嘴可能造成的損壞
- 建議最高壓力值 140psi (9.5 bar)
- 適用的智慧型行動裝置版本及更多資訊，請參考 iGauge 網站 (www.airace-cycling.com)

(AM-95BT) LENGTH: 33.4cm WEIGHT: 236.5g

Bluetooth
Pump pressure can be read on smart mobile devices95cc
HIGH VOLUMEFit for
SCHRADER
PRESTA
DUNLOP and E/V

DUAL JET TS

Features:

- Dual function for tire and shock air-inflating
- Extractable hose for shock
- Non-Scratch rubber sealed head for shock
- Max. pressure 300 psi (21 bar) for shock
- Reversible Schrader, Presta and Dunlop
- Max. pressure 80 psi (5.5 bar) for tire
- 6063 Alum barrel
- Alum lever

產品特色

- 氣壓式避震器與輪胎兩用型
- 可伸縮軟管—避震器打氣用
- 免刮傷氣嘴風嘴頭—避震器打氣用
- 最高壓力 300psi (21 bar)—避震器
- 可轉換美式嘴、法式嘴與德式氣嘴
- 最高壓力 80psi (5.5 bar)—輪胎
- 6063 鋁合金汽缸
- 鋁合金指壓鎖柄 (AS-06)

LENGTH: 27.0cm WEIGHT: 183g

product
design
award
2011

SHOCK

JET DG

Features:

- Dynamic display LCD digital gauge
- Unit switch function — PSI, BAR and KG/CM²
- 2-3 PSI micro adjust button
- Alum barrel
- Foldable hose
- Non-Schratch rubber sealed head
- Max. pressure 300 psi (21 bar)

產品特色

- 動態顯示液晶電子面板
- 單位切換功能 — 可切換 PSI, BAR and KG/CM²
- 2-3 PSI 微調鈕
- 鋁合金汽缸
- 摺疊式軟管
- 免刮傷氣密風嘴頭
- 最高壓力300psi (21 bar) (AS-05)

LENGTH: 29.6cm WEIGHT: 220.9g



ROAD

Turbo Road S/CO2

Features:

- 2 in 1 CO2/mini pump for road bike
- Cartridge-twist-back for air-release-control design
- Release the air or stop releasing the air by twisting the CO2 cartridge
- Twin-Valve with separate airflow system which confirms safety for tire inflator and hand pump
- Valve for CO2 inflator and hand pump: Available for Presta and Dunlop
- Max. pressure 120 psi (8 bar)
- CO2 size: 16 grams with thread

產品特色

- 公路車專用,CO2/手動攜帶式,迷你氣筒
- 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計
- 藉由轉動CO2鋼瓶來釋出或終止氣體釋放
- CO2氣瓶之氣流與手動打氣的氣流分隔之雙頭設計,氣流自不同通道釋放,提高並確保使用的安全
- CO2打氣筒之氣嘴:適用法式嘴與德式氣嘴
- 手動打氣筒之氣嘴:適用法式嘴與德式氣嘴
- 最高壓力值120psi (8 bar)
- CO2氣瓶尺寸:16公克有螺牙 (AC-05S)

LENGTH: 14.5cm WEIGHT: 77.5g



MOUNTAIN

ROAD

Turbo Mountain S/CO2

Features:

- 2 in 1 CO2/mini pump for mountain bike
- Cartridge-twist-back for air-release-control design
- Release the air or stop releasing the air by twisting the CO2 cartridge
- Twin-Valve with separate airflow system which confirms safety for tire inflator and hand pump
- Valve for CO2 inflator and hand pump: Available for Presta and Dunlop
- Max. pressure 80 psi (5.5 bar)
- CO2 size: 16 grams with thread

產品特色

- 登山車專用,CO2/手動攜帶式,迷你氣筒
- 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計
- 藉由轉動CO2鋼瓶來釋出或終止氣體釋放
- CO2氣瓶之氣流與手動打氣的氣流分隔之雙頭設計,氣流自不同通道釋放,提高並確保使用的安全
- CO2打氣筒之氣嘴:適用法式嘴與德式氣嘴
- 手動打氣筒之氣嘴:適用法式嘴與德式氣嘴
- 最高壓力值80psi (5.5 bar)
- CO2氣瓶尺寸:16公克有螺牙 (AC-06S)

LENGTH: 14.0cm WEIGHT: 97.6g



ROAD

Turbo Road/CO2

Features:

- 2 in 1 CO2/mini pump for road bike
- Cartridge-twist-back for air-release-control design
- Release the air or stop releasing the air by twisting the CO2 cartridge
- Twin-Valve with separate airflow system which confirms safety for tire inflator and hand pump
- Valve for tire inflator and hand pump: Available for Presta and Dunlop
- Max. pressure 120 psi (8 bar)
- CO2 cartridge size: 16 grams with thread

產品特色

- 公路車專用,CO2/手動攜帶式,迷你氣筒
- 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計
- 藉由轉動CO2鋼瓶來釋出或終止氣體釋放
- CO2氣瓶之氣流與手動打氣的氣流分隔之雙頭設計,氣流自不同通道釋放,提高並確保使用的安全
- CO2打氣筒之氣嘴:適用法式嘴與德式氣嘴
- 手動打氣筒之氣嘴:適用法式嘴與德式氣嘴
- 最高壓力值120psi (8 bar)
- CO2氣瓶尺寸:16公克有螺牙 (AC-05)

LENGTH: 23.0cm WEIGHT: 190g



MOUNTAIN

ROAD

Turbo Mountain/CO2

Features:

- 2 in 1 CO2/mini pump for mountain bike
- Cartridge-twist-back for air-release-control design
- Release the air or stop releasing the air by twisting the CO2 cartridge
- Twin-Valve with separate airflow system which confirms safety for tire inflator and hand pump
- Valve for tire inflator: Reversible for Schrader and Presta
- Valve for hand pump: Reversible for Schrader, Presta and Dunlop
- Max. pressure 80 psi (5.5 bar)
- CO2 cartridge size: 16 grams with thread

產品特色

- 登山車專用,CO2/手動攜帶式,迷你氣筒
- 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計
- 藉由轉動CO2鋼瓶來釋出氣體或終止氣體釋放
- CO2氣瓶之氣流與手動打氣的氣流分隔之雙頭設計,氣流自不同通道釋放,提高並確保使用的安全
- CO2打氣筒之氣嘴:適用美式嘴與法式氣嘴
- 手動打氣筒之氣嘴:適用美式嘴、法式嘴與德式氣嘴
- 最高壓力值80psi (5.5 bar)
- CO2氣瓶尺寸:16公克有螺牙 (AC-06)

LENGTH: 22.5cm WEIGHT: 210g



Turbo Micro 6**Features:**

- Precision Gas Control: Prevent premature CO2 leakage upon cartridge insertion
- CNC Alum inflator body
- Micro size for easy carrying
- Control cap easy to control air flow
- Fit for Presta and Schrader
- Fit for CO2 cartridge w/thread
- Attach with 16g/20g cartridge cover (Optional 25g cartridge cover)

產品特色

- 精準氣流控制,插入氣瓶時,可預防初期氣體流出
- CNC鋁合金充氣本體
- 迷你尺寸便於攜帶
- 透過旋鈕來控制氣體流出
- 適用法式嘴與美式嘴
- 適用有牙CO2氣瓶
- 附鋼瓶套,適用16克/20克CO2氣瓶(可選配25克專用鋼瓶)

LENGTH: 3.8cm WEIGHT: 27.1g

**Turbo Micro****Features:**

- Micro size CO2 inflator
- Cartridge-twist-back for air-release-control design
- Release the air or stop releasing the air by twisting the CO2 cartridge
- Compact and easy to carry out
- Clever Valve for Presta and Schrader
- CO2 cartridge size: 16 grams with thread

產品特色

- 迷你尺寸CO2打氣筒
- 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計
- 藉由旋轉CO2鋼瓶來釋出氣體或終止氣體釋放
- 輕巧便於攜帶
- 聰明頭設計,適用美式嘴與法式氣嘴
- CO2氣瓶尺寸:16公克有螺牙(AC-02)

LENGTH: 3.7cm WEIGHT: 26.1g

**Turbo Micro 2****Features:**

- Micro size CO2 inflator
- Cartridge-twist-back for air-release-control design
- Release the air or stop releasing the air by twisting the CO2 cartridge
- User-friendly CO2 cartridge storage
- Compact and easy to carry out
- Clever Valve for Presta and Schrader
- CO2 cartridge size: 16 grams with thread

產品特色

- 迷你尺寸CO2打氣筒
- 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計
- 藉由旋轉CO2鋼瓶來釋出氣體或終止氣體釋放
- 人性化CO2鋼瓶儲放槽
- 輕巧便於攜帶
- 聰明頭設計,適用美式嘴與法式氣嘴
- CO2氣瓶尺寸:16公克有螺牙(AC-03)

LENGTH: 4.3cm WEIGHT: 21g

**Turbo Micro 3****Features:**

- Micro size CO2 inflator
- Release the air or stop releasing the air by twisting the CO2 cartridge
- User-friendly CO2 cartridge storage
- Clever Valve for Presta and Schrader
- CO2 size: 16 grams with thread

產品特色

- 迷你尺寸CO2打氣筒
- 藉由旋轉CO2鋼瓶來釋出氣體或終止氣體釋放
- 人性化CO2鋼瓶儲放槽
- 聰明頭設計,適用美式嘴與法式氣嘴
- CO2氣瓶尺寸:16公克有螺牙(AC-07)

LENGTH: 4.3cm WEIGHT: 22.2g

**Turbo Micro 4****Features:**

- Micro size CO2 inflator
- Twist the knob to control the air-flow
- Clever Valve for Presta and Schrader
- CO2 cartridge size: 16 grams with thread

產品特色

- 迷你尺寸CO2打氣筒
- 藉由旋轉金屬旋鈕來控制氣流量
- 人性化CO2鋼瓶儲放槽
- 聰明頭設計,適用美式嘴與法式氣嘴
- CO2氣瓶尺寸:16公克有螺牙(AC-08)

LENGTH: 4.4cm WEIGHT: 26g

**Turbo Micro 5****Features:**

- Alum one piece CNC machined Micro size CO2 inflator
- Twist CO2 cartridge to control the air-flow
- Clever Valve fit for Schrader and Presta
- More efficient when using with wing design
- Fit for cartridge with thread

產品特色

- 一體成型鋁合金迷你尺寸CO2充氣接頭
- 藉由旋轉CO2鋼瓶來控制氣流量
- 聰明頭設計,適用美式嘴與法式氣嘴
- 雙翼設計,使用時更省力
- 適用有牙氣瓶(AC-09)

LENGTH: 2.8cm WEIGHT: 11.7g

TIRE LEVER

HARD-TL

High-polish finish
鏡面拋光
(AT-01)

HARD-TLM

Silver anodize
表面銀色陽極
(AT-02)

Features:
• Aluminum tire lever with plastic rim protector

產品特色
• 鋁合金材質挖胎棒,附有創新設計的輪框保護片
LENGTH: 10.5cm WEIGHT: 18.4g/piece



ECONO-TL

Features:
• Nylon w/fiber
• 12 set (24 pieces) in one color box

產品特色
• 堅固耐用的尼龍加纖維材質
• 每一彩盒12組(24支)裝
(AT-03)
LENGTH: 11.6cm
WEIGHT: 10.6g/piece

Handy Pro

Features:
• CO2 inflator and tire lever complex design
• Cartridge-twist-back for air-release-control design, valve fit for Schrader & Presta
• Release the air or stop releasing the air by twisting the CO2 cartridge
• Fit for Presta and Schrader
• Aluminum tire lever with plastic rim protector
• High-Polish finish
• CO2 size: 16 grams with thread

產品特色
• 複合式設計,結合CO2打氣筒跟挖胎棒
• 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計
• 藉由旋轉CO2鋼瓶來釋出氣體或中止氣體釋放
• 適用美式嘴和法式嘴
• 鋁合金材質挖胎棒,其前端為創新設計的輪框保護片
• 鏡面拋光
• CO2氣瓶尺寸:16公克有螺牙
(ACT-02)
LENGTH: 11.6cm WEIGHT: 10.6g/piece



TIRE LEVER

HANDY-E

Features:
• CO2 inflator and tire lever complex design
• Cartridge-twist-back for air-release-control design, valve fit for Presta & Schrader
• Economic plastic tire lever
• CO2 size: 16 grams with thread

產品特色
• 複合式設計,結合CO2打氣筒跟挖胎棒
• 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計,適用美式嘴和法式嘴
• 入門款經濟型挖胎棒
• CO2氣瓶尺寸:16公克有螺牙
(ACT-03)
LENGTH: 13.0cm WEIGHT: 23.6g/piece

TIRE GAUGE

ROADSTER DG

Features:
• Dynamic display LCD digital panel
• Designed for high pressure road bike tire
• Twin-Valve for Schrader and Presta
• Max. pressure reading 300 psi (21 bar)
• Unit switch function — PSI, BAR and KG/CM²

產品特色
• 動態顯示液晶電子面板
• 專為高壓公路車胎設計
• 雙氣嘴,適用美式嘴與法式氣嘴
• 最大壓力顯示值300psi (21 bar)
• 單位切換功能 — 可切換 PSI, BAR and KG/CM²
(AG-01)
LENGTH: 8.0cm WEIGHT: 44.2g

GLUELESS PATCH KIT

PASTER

Features:
• Self adhesive patch works on road and mountain bike applications
• 5 Glueless patches and 1 sand paper in a small case
• Compact case, 12 cases in one color box

產品特色
• 自黏性免膠補胎片,適用於公路車與登山車在騎乘的胎壓需求
• 每小盒內含:
5片免膠補胎片(圓形Ø25mm),
1片內胎砂紙(方形28x28mm)
• 每組12小盒裝輕巧薄片盒裝設計,便於攜帶
(AGL-01)

CO2 CARTRIDGE SET

COBO-20

Features:
• 16g CO2 cartridge w/thread
• 20 pcs in one color box

產品特色
• 16克CO2鋼瓶組,有牙紋
• 20支CO2鋼瓶一盒裝
(COBO-20)

Floor Pump Series

Mini Pump Series

Tool Series

Washing Machine



Mini Pump Series
FIT REGULAR / CNC / CARBON / ROAD / H2

TOOLS SERIES

TT 19 19 IN 1 ULTRA-THIN FOLDING TOOL SET

Features:

- Cr-V Metallic tools with forged arm
- White with chrome finished hex 2.2.5. 3.4.5.6.8mm
- Philip #1, #2 / flat / T25
- Stainless plate with 8.9.10.12mm box wrench, 14/15/16G spoke wrench and bottle opener

"19"功能超薄摺疊手工具組

產品特色

- 鉻釩鋼材質,鍛造外框把柄
- 白 / 鉻兩色表面處理2.2.5.3.4.5.6.8mm 內六角扳手
- 十字型 1 號, 2 號 / 一字型 / T25 起子
- 附有 8.9.10.12mm 套筒扳手, 14/15/16G 鋼絲扳手與開瓶器的不銹鋼施力片 (ATT-04)

LENGTH: 8.5cm WEIGHT: 140g



TT-19

TT 20 20 IN 1 ULTRA-THIN FOLDING TOOL SET

Features:

- Cr-V Metallic tools with forged arm
- White with chrome finished hex 2.2.5.3.4.5.6.8mm
- T25, Philip #1, #2, flat
- 8.9.10mm Stainless box wrench, 14/15/16G spoke wrench
- Stainless bottle opener
- Chain breaker
- Additional hex 3mm for self maintenance

"20"功能迷你超薄摺疊手工具組

產品特色

- 鉻釩鋼材質,鍛造外框把柄
- 白 / 鉻兩色表面處理2.2.5.3.4.5.6.8mm 內六角扳手
- T25 內六角型扳手, 十字型 1 號, 2 號起子, 一字型起子
- 8.9.10.12mm 不銹鋼套筒扳手, 14/15/16G 鋼絲扳手
- 開瓶器
- 剪鍊器
- 附加自鎖 3mm 內六角扳手 (ATT-03)

LENGTH: 8.5cm WEIGHT: 230g



TT-20

TOOLS SERIES

FT 19 19 IN 1 FOLDING TOOL SET

Features:

- Cr-V Metallic tool
- Black with chrome finished hex 2.2.5. 3.4.5.6.8mm
- Tire levers
- Philip #2 / flat / T25
- Stainless plate with 8.9.10.12mm box wrench, 14/15/16G spoke wrench and bottle opener
- Plastic arm with steel insert

"19"功能摺疊手工具組

產品特色

- 鉻釩鋼材質,鍛造外框把柄
- 黑 / 鉻兩色表面處理2.2.5.3.4.5.6.8mm 內六角扳手
- 起胎扳手
- 十字型 2 號 / 一字型 / T25 起子
- 附有 8.9.10.12mm 套筒扳手, 14/15/16G 鋼絲扳手與開瓶器的不銹鋼施力片
- 鑲鐵把柄 (AFT-04)

LENGTH: 8.7cm WEIGHT: 163g



FT-19

FT 21 21 IN 1 FOLDING TOOL SET

Features:

- Cr-V Metallic tool
- Black with chrome finished hex 2.2.5.3.4.5.6.8mm
- Tire levers
- Philip #2 / flat / T25
- 8.9.10mm stainless box wrench
- 14/15/16G spoke wrench
- Stainless bottle opener
- Plastic arm with steel insert
- Additional hex 3mm for self maintenance
- Chain breaker
- Chain retainer

"21"功能摺疊手工具組

產品特色

- 鉻釩鋼材質,鍛造外框把柄
- 黑 / 鉻兩色表面處理2.2.5.3.4.5.6.8mm 內六角扳手
- 起胎扳手
- 十字型 2 號 / 一字型 / T25 起子
- 8.9.10mm 不銹鋼套筒扳手
- 14/15/16G 鋼絲扳手
- 附加自鎖 3mm 內六角扳手
- 開瓶器
- 剪鍊器
- 鍊條固定勾
- 鑲鐵把柄 (AFT-05)

LENGTH: 8.7cm
WEIGHT: 230g



FT-21

TOOLS SERIES

ECONO
9

9 IN 1 NUT-FREE
BENDING ALLEN KEY TOOLS

Features:

- Cr-V material with dark nickel finish
- Innovative Nut-Free design
- High strength arms
- Hex key 2, 3, 4, 5, 6, 8 mm
- Philip #2 / Flat / T25

"9 合 1"無螺帽設計 9 字型六角扳手摺疊工具組

- 產品特色
- 鉻鋼材質,表面黑色鍍鎳處理
 - 創新無螺帽設計
 - 高強度側柄
 - 2, 3, 4, 5, 6, 8 mm 內六角扳手
 - 十字型 2 號 / 一字型 / T25 起子 (ECONO-9)

LENGTH: 7.3cm WEIGHT: 121g



ECONO-9

ECONO
14

14 IN 1 NUT-FREE
BENDING ALLEN KEY TOOLS

Features:

- Cr-V material with dark nickel finish
- Innovative Nut-Free design
- High strength arms
- Hex key 2, 3, 4, 5, 6, 8 mm
- Philip #2 / Flat / T25 / Mavic type spoke wrench
- 14, 15, 16g / Chain tool

"14 合 1"無螺帽設計 9 字型六角扳手摺疊工具組

- 產品特色
- 鉻鋼材質,表面黑色鍍鎳處理
 - 創新無螺帽設計
 - 高強度側柄
 - 2, 3, 4, 5, 6, 8 mm 內六角扳手
 - 十字型 2 號 / 一字型 / T25 起子、
 - 14, 15, 16 克 Mavic 款鋼絲扳手、剪鍊器 (ECONO-14)

LENGTH: 7.3cm WEIGHT: 160g



ECONO-14

ACNC
8

8 IN 1 NUT-FREE
CNC ALLEN KEY TOOLS

Features:

- Cr-V material with polish chrome plated finish
- Innovative Nut-Free design
- Dual anodized alloy arms
- Hex key 2, 3, 4, 5, 6 mm
- Philip #2 / Flat / T25

"8 合 1"無螺帽設計 CNC 六角扳手摺疊工具組

- 產品特色
- 鉻鋼材質,表面拋光鍍鎳處理
 - 創新無螺帽設計
 - 鋁合金雙色陽極側柄
 - 2, 3, 4, 5, 6 mm 內六角扳手
 - 十字型 2 號 / 一字型 / T25 起子 (ACNC-8)

LENGTH: 7.4cm WEIGHT: 74.6g



ACNC-8

ACNC
14

14 IN 1 NUT-FREE
CNC ALLEN KEY TOOLS

Features:

- Cr-V material with polish chrome plated finish
- Innovative Nut-Free design
- Dual anodized alloy arms
- Hex key 2, 3, 4, 5, 6, 8 mm
- Philip #2 / Flat / T25 / Mavic type spoke wrench
- 14, 15, 16g / Chain tool

"14 合 1"無螺帽設計 CNC 六角扳手摺疊工具組

- 產品特色
- 鉻鋼材質,表面拋光鍍鎳處理
 - 創新無螺帽設計
 - 鋁合金雙色陽極側柄
 - 2, 3, 4, 5, 6, 8 mm 內六角扳手
 - 十字型 2 號 / 一字型 / T25 起子、
 - 14, 15, 16 克 Mavic 款鋼絲扳手、剪鍊器 (ACNC-14)

LENGTH: 7.4cm WEIGHT: 121.8g



ACNC-14

ACC
01

12 SPEED
CHAIN BREAKER

Features:

- Aluminum micro size CO2 inflator
- Twist cartridge to control the air-flow
- Clever Valve fit for Schrader & Presta
- Allen key #4 / #5
- Bottle opener

12 速的鏈條斷鏈器

- 產品特色
- 鋁合金迷你尺寸 CO2 充氣接頭
 - 藉由旋轉氣瓶來控制氣流量
 - 聰明頭設計,適用美式與法式氣嘴
 - 六角扳手 #4 / #5
 - 開瓶器 (ACC-01)

LENGTH: 9.7cm WEIGHT: 64.2g




ACC-01

Floor Pump Series

Mini Pump Series

Tool Series

Washing Machine



Professional Quality

Simple innovation, Storage 8mm hex function inside.
High quality metal finish.



Tools Series
TT19 / TT20 / FT19 / FT21



IDEAS FOR CONVENIENCE

10 years on, AIRACE is leading the pack in bicycle pump research and product development. AIRACE benefits from more than a decade of improving and inventing new pump designs. The company draws, not only from many years of experience, but also from a solid global network of marketeers who gather important market information year-on year-out. This enables AIRACE to stay close to the market and better understand market trends and consumer needs.

Today, AIRACE produces bicycle pumps and tools that integrate simple yet trend setting designs with all the basic requirements of a good pump.

AIRACE products are eye-catching, unique, comfortable and easy to use.

WASH MACHINE

DW 01
DIRT WORKER
Portable Wash Machine



SPRAY GUN FOR SHOWER WHEN CAMPING

- For shower usage in outdoor
- Available for DIRTWORKER & DRIVING WATERMAN

清洗機水槍(蓮蓬頭造型, 露營淋浴用)
• 戶外淋浴使用
• 適用於 DIRTWORKER & DRIVING WATERMAN 兩款清洗機 (ASG-01)

AC/DC ADAPTOR

- Features:**
- A/C to D/C Adaptor for AIRACE wash machine only

產品特色
• 直流電和交流電轉接器, AIRACE 清洗機專用
LENGTH: 137cm WEIGHT: 70g (AD-01)



Features:

- 12V Cigarette lighter power supply. More safety than AC power supply
- Heavy duty tank with 14 liter water content
- Dirt clean for mountain bike and camping equipment
- Wash sand off your gear and legs after being at the beach
- Use it to take a shower
- Wash mud or salt off your SUV or car

可攜式清洗機

產品特色

- 使用點煙器 12 伏特直流電壓動力比交流電動力較安全
- 14 公升特級耐壓水箱
- 可清潔登山車和露營器具
- 可清洗從沙灘上沾附的細砂
- 可做為淋浴用
- 清洗衝浪板上殘留海水與沙灘遊樂器材的細砂與海水
- 方便戶外出遊使用

(DW-01)

HEIGHT: 36cm WEIGHT: 5.3kg




Dirt Worker
Color: Yellow

Floor Pump Series

Mini Pump Series

Tool Series

Washing Machine



OFF ROAD
For Jungle Life!





Washing Machine
DIRT WORKER


You're back at your car with a filthy bike. At this point you have a couple of options. Either you put the bike in the car, thus risking possibly terminal soiling of the upholstery, headlining or both. Or you put it on a rack on the outside of the car, which inevitably means that by the time you get home the wind will have dried the dirt on the bike into an almost impenetrable crust. Either way you arrive home with a manky bike, which is likely to be a nuisance, particularly if your domestic circumstances require you to keep your bike in your front room.

What's needed here is some way to clean your bike before it goes back in or on the car. You could take a bucket and brushes, but you'd need some water too. We know people who carry one of those hand-pumped garden sprayers in their cars, but they're not all that good at shifting dirt. There's always the trusty power washer, but they have a couple of drawbacks for use in the field—they need mains electricity and they have a prodigious appetite for water. And of course the power washer's ability to strip grease from bearings is well documented.

The Washing Machine, then, could be exactly what you've been waiting for. It's a portable 12V power washer with an integral 13l (3.5 gallon) water tank. Fill the tank at home, put it in the boot and when you're done riding, plug it into your car's "accessory socket" instant bike cleaning action.

WASHING MACHINE FOR CAR





AIRACE

AIRACE

EXCLUSIVE AGENTS

Italy

Alaracing S.r.l.
TEL: 0743/46.090
e-mail: fausto.duranti@alaracing.it

Poland

Arkus & Romet Group
TEL: +48 14 68 48 183
e-mail: sekretariat@romet.pl

Uruguay

BiciFan Uruguay
TEL: +598 4362 9000
e-mail: info@bicifan.uy

USA

BV USA Enterprises.
TEL: +1 877-985-5888
e-mail: robert@iberausa.com

Malaysia

Centro Cycle Sdn Bhd
TEL: +6012 9693175

Korea

Comet Bicycle Association
TEL: +82 31 7958357
e-mail: hckim@cometbicycle.com

Japan

Custom Japan Co., Ltd
TEL: +81-6-6634-1739
e-mail: buyer39@customjapan.jp

Denmark

Cykelpartner
TEL: +45 39403131
e-mail: sth@cykelpartner.dk

Canada

D'Amour Bicycle & Sports inc.
TEL: 514-637-6511
e-mail: info@damourbicycle.com

Germany

ENJOYYOURBRANDS GmbH
TEL: +49 511 200 290 99
e-mail: purchase@enjoyyourbrands.com

Singapore

Entro International Pte Ltd
TEL: +65 6749 4060
e-mail: johnny@entro.com.sg

Thailand

LA Bicycle (Thailand) Co., Ltd.
TEL: +662 8127951-54
Website: www.la-bicycle.com/

Germany/Swiss

RA-CO GmbH
TEL: +49 36203 614-45
e-mail: service@ra-co.de

China

Shakeland
昆山鑫振發商貿
TEL: 0512-50338912
e-mail: ogns@hotmail.com

Taiwan

掌翔國際有限公司
TEL: 07-310618
e-mail: hjohnny400@msn.com