

**AIRACE ENTERPRISE CO., LTD.**



NO.2 ,Lane 187, Shi Hoo Rd., Tali Dist., Taichung City, Taiwan, R.O.C.  
Tel: 886-4-2496 4761 E-mail: service@airace.com.tw  
Fax: 886-4-2496 9962 E-mail: airace@airace.com.tw  
<http://www.airace-cycling.com>

*Authorised Agent*



**IDEAS FOR CONVENIENCE**

# INFINITY SS

Innovation Floor Pump for Both Air-Suspension Shock and Tire



#### Features:

- Innovative floor pump for both air-suspension shock and tire
- Alum barrel and base
- Fabric braided hose for high pressure
- Patented pump head for both "shock & tire"
- Air-bleeder for 2-3psi air-pressure control
- 2-Tone handle
- 3" gauge
- Max. pressure 400 psi (21 bar)
- Dealer's favorite

#### 產品特色

- 創新氣壓式避震器與輪胎兩用型落地式打氣筒
- 鋁合金材質打氣筒
- 專利的避震器與輪胎兩用風嘴頭
- 傳統耐高壓的軟管
- 附微洩壓洩氣調整功能
- 鋁合金材質腳座
- 軟硬雙材質把手
- 3英吋壓力錶
- 最高壓力400psi (21 bar)
- 專業腳踏車店主的最愛  
(AF-26)

HEIGHT: 66.2cm WEIGHT: 1382g



▲ Shock and Tire Pump Head

# AIRSTORMER SWITCH

HP/HV 4" Over-Sized Dual-Scale Gauge Steel Floor Pump



#### Features:

- Switch HIGH VOLUME and HIGH PRESSURE mode by switch lever on handle top
- Dual-Scale Gauge display for Low pressure and High pressure:
  - » 0-35psi zone: 1psi digit gap, special for FAT tire & MTB
  - » 35-140psi zone: Fit for Road bike tire and trekking bike
- Over-sized 4" big gauge, easy to read the pressure
- Clever Valve w/Thumb-Touch lever
- One hand operation thumb-touch lever
- Clever Valve: Auto-switch for Presta and Schrader
- Steel barrel and base
- Ball needle and plastic valve stored inside the handle caps

#### 產品特色


- 可透過把手頂部的扳手切換HIGH VOLUME/HIGH PRESSURE模式
- 雙線性錶低壓區和高壓區,壓力錶刻度顯示為:
  - » 0-35psi區域:1個刻度為1psi,FAT輪胎和MTB專用
  - » 35-140psi區域:適合公路車輪胎和健行自行車
- 超大4英吋壓力錶,更容易讀取壓力值
- 有按壓式扳手並可單手操作的聰明頭,自動切換法式嘴、美式嘴
- 鐵材質的汽缸及腳座
- 把手兩側把手塞有儲存球針及氣嘴  
(AF-25)

HEIGHT: 69.2cm WEIGHT: 1634g



650 c.c  
HIGH VOLUME

High Volume / High Pressure



▲ For FAT/MTB/Road bike/  
Trekking bike



▲ Clever Valve  
w/ Thumb-Touch lever

## AIRSTORMER SPORT

4" Over-Sized Dual-Scale Gauge  
Steel Floor Pump



### Features:

- Dual-Scale Gauge display for Low pressure and High pressure:
  - 0-35psi zone: 1psi digit gap, special for FAT tire & MTB
  - 35-140psi zone: Fit for Road bike tire and trekking bike
- Clever Valve w/Thumb-Touch lever
- One hand operation thumb-touch lever
- Clever Valve: Auto-switch for Presta and Schrader
- Over-sized 4" big gauge, easy to read the pressure
- Steel barrel and base

### 產品特色

- 雙線性錶低壓區和高壓區，壓力錶刻度顯示為：
  - 0-35psi區域：1個刻度為1psi，FAT輪胎和MTB專用
  - 35-140psi區域：適合公路車輪胎和健行自行車
- 超大4英吋壓力錶，更容易讀取壓力值
- 有按壓式扳手並可單手操作的聰明頭，自動切換法式嘴、美式嘴
- 鐵材質的汽缸及腳座

(AF-24)

HEIGHT: 66.9cm WEIGHT: 1474g



▲ For FAT/MTB/Road bike/  
Trekking bike



▲ Clever Valve  
w/Thumb-Touch lever

## AIRSTORMER II

3" Dual-Scale Gauge  
Steel Floor Pump



### Features:


- Durable steel barrel and base
- Dual-Scale gauge display for Low Pressure and High Pressure
- 0-40psi zone: 1psi digit gap, special for FAT/MTB Tire and gravel bike
- 40-160psi zone: Fit for Trekking/Road tire
- Clever Valve w/Thumb-Touch lever
- One hand operation thumb-touch lever
- Clever Valve: Auto-switch for Presta and Schrader
- Ergonomic 2-Tone soft touch handle
- Max.pressure 160 psi (11 bar)

### 產品特色


- 鐵材質落地式打氣筒附帶3英吋雙線性壓力錶
- 在0~40PSI: 每個刻度是1PSI,適用於胖胎、登山車及砂礫車輪胎
- 在40~160PSI: 適用於公路車輪胎
- 3英吋壓力錶,容易看清楚壓力值
- 有按壓式扳手並可單手操作的聰明頭、自動切換法式嘴,美式嘴
- 軟硬雙材質把手
- 鐵材質汽缸及腳座
- 最高壓力160psi (11 bar)

(AF-22)

HEIGHT: 67cm WEIGHT: 1740g



▲ For FAT/MTB/Gravel bike/  
Trekking/Road Tire



▲ Clever Valve  
w/Thumb-Touch lever

## WIND PRO P

Steel Floor Pump  
W/Entry Level Plastic Clever-Twin-Valve Head



### Features:

- Steel barrel
- Entry level plastic Clever-Twin-Valve (CTV-P) with Thumb-Lock lever
- Fit for Schrader, Presta, Dunlop and E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- 2.5" gauge
- Max. pressure 160 psi (11 bar)

### 產品特色

- 鐵材質汽缸
- 指壓式「入門款塑膠雙向氣嘴聰明頭」
- 適用美式嘴,法式嘴,德式嘴與英式氣嘴
- 獨特安全氣密裝置,法式嘴在高壓力下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 2.5 英吋壓力錶
- 最高壓力160psi (11 bar)

(AF-11)

HEIGHT: 67cm WEIGHT: 1272g



Fit for  
**SCHRADER**  
**PRESTA**  
**DUNLOP** and **E/V**

## WIND PRO ST

Aluminum Floor Pump  
W/Economic Clever-Twin-Valve Head



### Features:

- Aluminum barrel
- Steel base
- Economic Clever-Twin-Valve (CTV-A) with alum Thumb-Lock lever
- Fit for Schrader, Presta, Dunlop and E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- 2.5" gauge
- Max. pressure 200 psi (14 bar)

### 產品特色

- 鋁合金汽缸
- 鐵材質腳座
- 指壓式“經濟型雙向氣嘴聰明頭”搭配鋁合金扳手
- 適用美式嘴,法式嘴,德式嘴與英式氣嘴
- 獨特安全氣密裝置,法式嘴在高壓力下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 2.5 英吋壓力錶
- 最高壓力200psi (14 bar)  
(AF-13)

HEIGHT: 67cm

WEIGHT: 1593g



## iGauge WIND PRO A

Aluminum Floor Pump  
W/Clever-Twin-Valve Head



### Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- High polish aluminum floor pump
- Aluminum handle & barrel
- Aluminum die-casting base
- Thumb-Lock Clever-Twin-Valve with air-bleeder
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure 200 psi
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 200 psi (14 bar)
- For supported versions of smart mobile devices & more information, please browse iGauge website ([www.airace-cycling.com](http://www.airace-cycling.com))

### 產品特色

- 配備藍牙4.0:可透過打氣筒上的藍芽,直接在智慧型行動裝置的應用程式"iGauge"上,讀取打氣筒的壓力值
- 亮面拋光鋁合金落地式打氣筒
- 鋁合金把手和汽缸
- 鋁合金壓鑄腳座
- 指壓式“雙向氣嘴聰明頭”附洩氣鉗
- 適用美式嘴,法式嘴,德式嘴與英式氣嘴
- 獨特安全氣密裝置,法式嘴在高壓力200psi下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 建議最高壓力200psi (14 bar)
- 適用的智慧型行動裝置版本和更多資訊,請參考iGauge網站 (AF-14BT)


HEIGHT: 67cm

WEIGHT: 1.38kg



Bluetooth<sup>SMART</sup>

Pump pressure can be read on smart mobile devices



## WIND PRO A

Aluminum Floor Pump  
W/Clever-Twin-Valve Head



### Features:

- Aluminum handle and barrel
- Aluminum die-casting base
- Thum-Lock Clever-Twin-Valve with air-bleeder
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure 240 psi
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- 2.5" gauge
- Max. pressure 240 psi (16.5 bar)

### 產品特色

- 鋁合金把手與汽缸
  - 鋁合金壓鑄腳座
  - 指壓式雙向氣嘴聰明頭附洩氣鉗
  - 適用美式嘴,法式嘴,德式嘴與英式氣嘴
  - 獨特安全氣密裝置,法式嘴在高壓力240psi下仍舊穩定,不會彈跳出來
  - 可輕鬆咬合氣嘴
  - 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
  - 2.5 英吋壓力錶
  - 最高壓力240psi (16.5 bar)
- HEIGHT: 67cm WEIGHT: 1540g



Fit for SCHRADER

▲ Fit for PRESTA, DUNLOP & E/V



## INFINITY DT

Tubeless Floor Pump  
W/Dynamic Display LCD Digital Gauge

### Features:

- Tubeless floor pump with dynamic display LCD digital gauge
- Alum integrally formed barrel and pressurized tank
- Special designed barrel for easier high-pressure inflation.
- Charge pressure tank up to 240psi and a blast of air will seat a tubeless tire
- 2-Tone handle, steel base
- CTV-TU pump head fits for Schrader, Presta, Dunlop & E/V
- Turn the small lever on pump head can choose "For tank" or "For tire"
- Max. pressure 240 psi (16.5 bar)

### 產品特色

- 鋁合金汽缸含儲氣缸一體成型
- 汽缸的特殊設計使得打到高壓更容易
- 將儲氣缸充氣到240PSI,快速的釋放充氣,可安裝好無內胎輪胎
- 軟硬雙材質把手,鐵材質腳座
- CTV-TU風嘴頭組適用美式嘴,法式嘴,德式嘴與英式氣嘴
- 用風嘴頭上的小扳手可以轉換要儲氣或者是要輪胎打氣
- 最高壓力240psi (16.5 bar)

(AF-19T)

HEIGHT: 69.5cm

WEIGHT: 1650g



▲ Fit for Tubeless Tire



▲ Dynamic display  
LCD digital gauge



Tire Mode



▲ Tubeless Mode

## WIND PRO AE

Aluminum Floor Pump  
W/Economic Clever-Twin-Valve Head



**Features:**

- Aluminum barrel
- Aluminum die-casting base
- Economic Clever-Twin-Valve (CTV-A) with alum Thumb-Lock lever
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- 2.5" gauge
- Max. pressure 240 psi (16.5 bar)

**產品特色**

- 鋁合金汽缸
- 鋁合金壓鑄腳座
- 指壓式“經濟型雙向氣嘴頭”搭配鋁合金扳手
- 適用美式嘴,法式嘴,德式嘴與英式氣嘴
- 獨特安全氣密裝置,法式嘴在高壓力240psi下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 2.5英吋壓力錶
- 最高壓力240psi (16.5 bar)

(AF-14B)

HEIGHT: 67cm WEIGHT: 1545g



## INFINITY DG

Aluminum Floor Pump  
W/Hi-Tech LCD Digital Gauge



▲ Dynamic display  
LCD digital gauge



◀ Twin-Valve  
schrader/presta

## AIRSTORMER

I

Aluminum Floor Pump  
W/2.5" Dual-Scale Top-Mounted Gauge



▲ For FAT/MTB/Gravel bike/  
ROAD Tire

**Features:**

- Alum barrel and steel base
- Dual-Scale gauge display for Low Pressure and High Pressure
  - » 0-40psi zone: 1psi digit gap, special for FAT/MTB tire and gravel bike
  - » 40-160psi zone: Fit for Road bike tire
- Clever Valve w/Thumb-Lock lever
- One hand operation thumb-touch lever
- Clever Valve: Auto-switch for Presta and Schrader
- Ergonomic 2-Tone soft touch handle
- Max. pressure 160 psi (11 bar)

**產品特色**

- 鋁合金落地式打氣筒附帶2.5英吋雙線性壓力錶
- 在0~40PSI: 每個刻度是1PSI,適用於胖胎、登山車及砂礫車輪胎
- 在40~160PSI: 適用於公路車輪胎
- 鋁合金汽缸,鐵材質腳座
- 2.5英吋上方式壓力錶,容易看清楚壓力值
- 有按壓式扳手並可單手操作的聰明頭、自動切換法式嘴,美式嘴
- 軟硬雙材質把手
- 最高壓力160psi (11 bar)

(AF-21)  
HEIGHT: 67cm WEIGHT: 1430g

## INFINITY ST

S

Steel Floor Pump  
W/Innovative Outlooking Barrel



▲ Single Valve  
reversible presta  
and schrader

**Features:**

- Advanced technology for "TOP THIN BOTTOM FAT" outlook. Also provide additional stability when pump is placed on the ground
- Aluminum barrel
- Steel base
- 2-Tone handle
- Max. pressure 240 psi (16.5 bar)
- 2.5" gauge

**產品特色**

- 提高置放時的穩定度
- 鋁合金材質氣筒
- 鐵材質腳座
- 軟硬雙材質把手
- 最高壓力240psi (16.5 bar)
- 2.5英吋壓力錶

(AF-17)  
HEIGHT: 74.0cm WEIGHT: 2610g

# INFINITY P

## Aluminum Floor Pump W/Plastic Outlooking Sleeve



### Features:


- Advanced technology for "TOP THIN BOTTOM FAT" outlook. Also provides additional stability when pump is placed on the ground.
- Internal aluminum barrel with plastic outlook sleeve
- Steel base
- 2-Tone handle
- Max. pressure 180 psi (12.5 bar)
- 2.5" gauge

### 產品特色

- 提高置放時的穩定度
- 鋁合金汽缸搭配塑鋼外型套管
- 鐵材質腳座
- 軟硬雙材質把手
- 最高壓力180psi (12.5 bar)
- 2.5英吋壓力錶 (AF-18)

HEIGHT: 74.0cm

WEIGHT: 1800g



# ACCESSORIES

## For All Floor Pump Series

### Floor Pump Series



#### CTV

- Features:**
- Special pump head design for tubeless pump.
  - With switchable little lever, for "tank" or for "tire".
  - Secure-sealed Presta valve will not disengage under high pressure 240 psi.
  - Easy engaged.
  - After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike.

### 產品特色

- 指壓式雙向氣嘴聰明頭特別設計的風嘴頭
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 獨特安全氣密裝置,法式嘴在高壓力240 psi下仍舊穩定不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,CTV風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離



#### CTV-TU

- Features:**
- Thumb-Lock Clever-Twin-Valve with air-bleeder.
  - Fit for Schrader, Presta, Dunlop & E/V.
  - Secure-sealed Presta valve will not disengage under high pressure 240 psi.
  - Alum Clever-Twin-Valve for Schrader, Presta and Dunlop.

### 產品特色

- 為無內胎打氣筒特別設計的風嘴頭
- 建有切換小扳手,可切換"罐氣"或"充氣"
- 鋁合金指壓式雙向聰明頭,適用美式嘴、法式嘴與德式氣嘴
- 獨特安全氣密裝置,法式嘴在高壓力240 psi下仍舊穩定,不會彈跳出來




#### ACV

- Features:**
- Clever Valve Presta and Schrader auto-switch
  - Air-bleeder
  - Alum cap

### 產品特色

- 聰明嘴,美、法式共用,自動切換
- 附微調洩氣紐
- 鋁合金指壓鎖柄



#### ACH

- Features:**
- Clever Valve Presta and Schrader auto-switch
  - Air-bleeder
  - Alum lever

### 產品特色

- 聰明嘴,美、法式共用,自動切換
- 附微調洩氣紐
- 鋁合金指壓鎖柄



#### TT-ECV

- Features:**
- One hand operation thumb-touch lever
  - Patented quick lock/quick release function
  - Clever Valve: Auto-switch for Presta and Schrader

### 產品特色

- 美、法/德式雙頭氣嘴
- 附微調洩氣紐
- 鋁合金風嘴蓋



#### ATH

- Features:**
- Lockable Presta, Schrader & Dunlop Twin-Valve
  - Air-bleeder
  - Alum cap

### 產品特色

- 美、法/德式雙頭氣嘴
- 附微調洩氣紐
- 鋁合金風嘴蓋




#### AS-CO

- Features:**
- Use to open the pump cylinder when you need to change the o-ring or to grease up the pump cylinder.
  - Cylinder opener for INFINITY floor pump series.
  - With 3.c.c lubricant oil.

**產品特色**

- 當有更換汽缸內O型環或添加潤滑油的需求時,可以使用上蓋旋開工具,旋開上蓋來使用
- 上蓋旋開工具適用於INFINITY系列打氣筒
- 附3.c.c 砂脂潤滑油包




#### AS-CO 1

- Features:**
- Use to open the pump cylinder when you need to change the o-ring or to grease up the pump cylinder.
  - Cylinder opener for WINDPRO floor pump series.
  - With 3.c.c lubricant oil.

**產品特色**

- 當有更換汽缸內O型環或添加潤滑油的需求時,可以使用上蓋旋開工具,旋開上蓋來使用
- 上蓋旋開工具適用於WINDPRO系列打氣筒
- 附3.c.c 砂脂潤滑油包



#### LPH

- Features:**
- Reversible Presta and Schrader
  - Air-bleeder
  - Alum cap and lever

### 產品特色

- 可轉換美式嘴與法式嘴
- 附微調洩氣紐
- 鋁合金風嘴蓋與指壓鎖柄



#### ASH

- Features:**
- Patented pump head for both "shock & tire".

### 產品特色

- 專利的避震器與輪胎2用風嘴頭
- 適用Presta, Schrader and Dunlop
- 透過軟管風嘴頭與避震器連接

**ROAD**

**NORMAL**

**MOUNTAIN**

### WINDPRO 90 S

**Features:**

- Extractable hose with 90 degree elbow connector function
- Alum CNC handle and barrel
- Soft material on barrel and top cap for comfortable touch
- Alum valve: Screw-in Flip Twin-Valve for Presta and Schrader
- 5" length for easy carry
- The first super-micro size for extractable hose series mini pump
- Max. pressure 120 psi (8 bar)
- Light weight 53g

**產品特色**

- 可抽出式軟管,具備90度彎折連接功能
- 鋁合金CNC把手、汽缸
- 汽缸底部、打氣筒頂部有軟料包覆,觸感舒適
- 鋁合金鎖牙式翻轉風嘴頭,適用美式嘴與法式嘴
- 長度5英吋超迷你尺寸,便於攜帶
- 第一支極短可抽出軟管系列迷你打氣筒
- 最高壓力120 psi (8 bar)
- 標輕量化53g

(AP-90S)

LENGTH: 12.7cm

WEIGHT: 53g

53g  
LIGHT WEIGHT

### WINDPRO 90 CO2

**Features:**

- Extractable hose with 90 degree elbow connector function
- Alum CNC barrel
- Screw-in valve
- Soft material on barrel and top cap for comfortable touch
- Max. pressure 80 psi (5.5 bar)
- Mode 1:CO2 inflator mode
- Mode 2:Mini pump
- Attach with 16g/20g cartridge cover (Optional 25g cartridge cover)
- Bracket available for carrying 2 CO2 cartridges
- Light weight 89g

**產品特色**

- 可抽出式軟管,具備90度彎折連接功能
- 鋁合金CNC把手、汽缸
- 汽缸底部、打氣筒頂部有軟料包覆,觸感舒適
- 鋁合金鎖牙式翻轉風嘴頭,適用美式嘴與法式嘴
- 長度5英吋超迷你尺寸,便於攜帶
- 第一支極短可抽出軟管系列迷你打氣筒
- 最高壓力80psi (5.5 bar)
- 兩種打氣模式: CO2充氣、手動打氣
- 附鋼瓶套,適用16克/20克CO2氣瓶(可選配25克專用鋼瓶)
- 固定夾可攜帶,2個CO2氣瓶

(AP-90C)

LENGTH: 14.3cm

WEIGHT: 88.6g

50cc  
HIGH VOLUME

80cc  
HIGH VOLUME

### WINDPRO 90 SWITCH

**Features:**

- Extractable hose with 90 degree elbow connector function
- Switchable mode for High Volume and High Pressure
- Alum CNC handle and barrel
- Soft material on barrel and top cap for comfortable touch
- Max. pressure 30 psi (2 bar)/120 psi (8 bar)
- Alum valve: Screw-in Flip Twin-Valve for Presta and Schrader
- Attach with 16g/20g cartridge cover (Optional 25g cartridge cover)
- Bracket available for carrying
- Light weight 89g

**產品特色**

- 可切換大氣量或高壓力模式
- 鋁合金CNC把手、汽缸
- 汽缸底部、打氣筒頂部有軟料包覆,觸感舒適
- 鋁合金鎖牙式翻轉風嘴頭,適用美式嘴與法式嘴
- 最高壓力30psi(2 bar)/120psi(8 bar)
- (AP-90PV)

LENGTH: 15.7cm

WEIGHT: 143.2g

### MINI PUMP

**NORMAL**

### ROAD

### FIT ROAD

**Features:**

- Pump head attached with extractable hose which can protect tire valve from damage when inflating
- Aluminum barrel
- Aluminum lever
- Reversible for Schrader, Presta and Dunlop
- Max. pressure 120 psi (8 bar)
- Dust cap

**產品特色**

- 附隱藏式膠管的風嘴頭,打氣時可保護輪胎氣嘴不受到損壞
- 鋁合金指壓鎖柄
- 可轉換美式嘴、法式嘴與德式氣嘴
- 最高壓力120psi (8 bar)
- 防塵蓋 (AP-85)

LENGTH: 25.0cm

WEIGHT: 120g

14

15

**MOUNTAIN****ROAD****FIT H2****Features:**


- Pump head attached with extractable hose which can protect tire valve from damage when inflating
- Aluminum barrel
- Aluminum lever
- 2 Stage for "HIGH PRESSURE HIGH VOLUME"
- Reversible Schrader, Presta and Dunlop
- Max. pressure 120 psi (8 bar)
- Dust cap

**產品特色**

- 附隱藏式膠管的風嘴頭,打氣時可保護輪胎氣嘴不受到損壞
- 鋁合金指壓鎖柄
- 鋁合金指壓鎖柄
- 全能型打氣筒可同時適用“大氣量或高壓力”的打氣模式
- 可轉換美式嘴、法式嘴與德式氣嘴
- 最高壓力120psi (8 bar)
- 防塵蓋 (AP-86)

LENGTH: 24.0cm

WEIGHT: 120g



Extractable hose

**NORMAL****FIT TELE R****Features:**

- Pump head attached with extractable hose which can protect tire valve from damage when inflating
- Aluminum lever
- Telescope design
- Reversible Schrader, Presta and Dunlop
- Max. pressure 100 psi (7 bar)
- Micro size for easy carry
- Dust-cap

**產品特色**

- 附隱藏式膠管的風嘴頭,打氣時可保護輪胎氣嘴不受到損壞
- 鋁合金指壓鎖柄
- 三節疊縮式設計
- 可轉換美式嘴、法式嘴與德式氣嘴
- 最高壓力100psi (7 bar)
- 超迷你尺寸,易於攜帶
- 防塵蓋 (AP-87)

LENGTH: 17.0cm

WEIGHT: 120g



FIT TELE R COLORS

**MOUNTAIN****FIT TELE M****Features:**

- Pump head attached with extractable hose which can protect tire valve from damage when inflating
- Aluminum lever
- Telescope design
- Reversible Schrader, Presta and Dunlop
- Max. pressure 80 psi (5.5 bar)
- Micro size for easy carry
- Dust-cap

**產品特色**

- 附隱藏式膠管的風嘴頭,打氣時可保護輪胎氣嘴不受到損壞
- 鋁合金指壓鎖柄
- 三節疊縮式設計
- 可轉換美式嘴、法式嘴與德式氣嘴
- 最高壓力80psi (5.5 bar)
- 超迷你尺寸,易於攜帶
- 防塵蓋 (AP-88)

LENGTH: 16.5cm

WEIGHT: 140g



FIT TELE M COLORS

## ROAD



### WINDPRO ROAD

**Features:**

- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Max. pressure 120 psi (8 bar)
- For road bike

**產品特色**

- 鋁合金 CNC 携帶式打氣筒
  - 指壓式“雙向氣嘴聰明頭”
  - 適用美式嘴,法式嘴,德式嘴和英式氣嘴
  - 獨特安全氣密裝置,法式嘴在高壓下仍舊穩定,不會彈跳出來
  - 可輕鬆咬合氣嘴
  - 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
  - 最高壓力120psi (8 bar)
  - 適用於公路車
- (AP-14)

LENGTH: 26.6cm WEIGHT: 121.8g



## NORMAL

### WINDPRO REGULAR

**Features:**

- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Max. pressure 100 psi (7 bar)
- For road bike & mountain bike

**產品特色**

- 鋁合金 CNC 携帶式打氣筒
  - 指壓式“雙向氣嘴聰明頭”
  - 適用美式嘴,法式嘴,德式嘴和英式氣嘴
  - 可輕鬆咬合氣嘴
  - 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
  - 最高壓力100psi (7 bar)
  - 公路車和登山車皆適用
- (AP-15)

LENGTH: 22cm WEIGHT: 112g



## MOUNTAIN



### WINDPRO MOUNTAIN

**Features:**

- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Max. pressure 80 psi (5.5 bar)
- For mountain bike

**產品特色**

- 鋁合金 CNC 携帶式打氣筒
  - 指壓式“雙向氣嘴聰明頭”
  - 適用美式嘴,法式嘴,德式嘴和英式氣嘴
  - 可輕鬆咬合氣嘴
  - 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
  - 最高壓力80psi (5.5 bar)
  - 適用於登山車
- (AP-16)

LENGTH: 22.2cm WEIGHT: 139.3g



### iWINDPRO Road

**Features:**

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 120 psi (8 bar)
- For road bike

reddot design award winner 2015



Pump pressure can be read on smart mobile devices



## MOUNTAIN



### WINDPRO 2.0 Mountain

#### Features:

- CNC aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Plastic non-slip handle sleeve
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Max. pressure 80 psi (5.5 bar)
- For mountain bike

#### 產品特色

- 鋁合金 CNC 搜帶式打氣筒
- 指壓式“雙向氣嘴聰明頭”
- 適用美式嘴、法式嘴、德式嘴和英式氣嘴
- 塑膠止滑把手套
- 獨特安全氣密裝置,法式嘴在高壓下仍舊穩定,不會彈跳出來
- 可輕鬆咬合氣嘴
- 打氣完成,將打氣筒風嘴頭從輪胎氣嘴拔出時,法式嘴不會因此分離
- 最高壓力80psi (5.5 bar)
- 適用於登山車  
(AP-26I)

LENGTH: 22.2cm WEIGHT: 141.3g



## ROAD



### iWINDPRO 2.0 Road

#### Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC high-polish aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Plastic non-slip handle sleeve
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 120 psi (8 bar)
- For road bike

For supported versions of smart mobile devices & more information, please browse iGauge website ([www.airace-cycling.com](http://www.airace-cycling.com))



Pump pressure can be read on smart mobile devices



## NORMAL




### iWINDPRO 2.0 Regular

#### Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC high-polish aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Plastic non-slip handle sleeve
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 100 psi (7 bar)
- For road bike & mountain bike

For supported versions of smart mobile devices & more information, please browse iGauge website ([www.airace-cycling.com](http://www.airace-cycling.com))



## MOUNTAIN



### iWINDPRO 2.0 Mountain

#### Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- CNC high-polish aluminum mini pump
- Thumb-Lock Clever-Twin-Valve
- Fit for Schrader, Presta, Dunlop & E/V
- Plastic non-slip handle sleeve
- Secure-sealed Presta valve will not disengage under high pressure
- Easy engaged
- After operating, Presta valve of bike tires won't be separated when the pump head leaves the bike
- Suggested max. pressure: 80 psi (5.5 bar)
- For mountain bike

For supported versions of smart mobile devices & more information, please browse iGauge website ([www.airace-cycling.com](http://www.airace-cycling.com))



## ROAD



## TORCH ROAD

**Features:**

- CNC alum mini pump
- Innovative alum Thumb-Lock lever
- Dust cap with Pump-Fixing function
- Fit for Presta and Dunlop
- 5" length the super-micro size for easy carry
- Max. pressure 120 psi (8 bar)
- For road bike

**產品特色**

- CNC 加工鋁合金攜帶式打氣筒
- 創新鋁合金指壓式扳手
- 兼具固定打氣筒功能之防塵蓋
- 適用法式嘴和德式氣嘴
- 長度 5 英吋超迷你尺寸,便於攜帶
- 最高壓力 120 psi (8 bar)
- 適用於公路車  
(AP-46SL)
- LENGTH: 12.8cm WEIGHT: 76.1g



## TORCH REGULAR

**Features:**

- CNC alum mini pump
- Innovative alum Thumb-Lock lever
- Dust cap with Pump-Fixing function
- Fit for Schrader, Presta and Dunlop
- 5" length the super-micro size for easy carry
- Max. pressure 100 psi (7 bar)
- For road bike and mountain bike

**產品特色**

- CNC 加工鋁合金攜帶式打氣筒
- 創新鋁合金指壓式扳手
- 兼具固定打氣筒功能之防塵蓋
- 適用美式嘴、法式嘴和德式氣嘴
- 長度 5 英吋超迷你尺寸,便於攜帶
- 最高壓力 100psi (7 bar)
- 公路車與登山車皆適用  
(AP-47SL)
- LENGTH: 12.8cm WEIGHT: 82.9g



## TORCH MOUNTAIN

**Features:**

- CNC alum mini pump
- Innovative alum Thumb-Lock lever
- Dust cap with Pump-Fixing function
- Fit for Schrader, Presta and Dunlop
- 5" length the super-micro size for easy carry
- Max. pressure 80 psi (5.5 bar)
- For mountain bike

**產品特色**

- CNC 加工鋁合金攜帶式打氣筒
- 創新鋁合金指壓式扳手
- 兼具固定打氣筒功能之防塵蓋
- 適用美式嘴、法式嘴和德式氣嘴
- 長度 5 英吋超迷你尺寸,便於攜帶
- 最高壓力 80psi (5.5 bar)
- 適用於登山車  
(AP-48SL)
- LENGTH: 12.8cm WEIGHT: 94.3g

## ROAD



## iWINDPRO V.1 RD

**Features:**

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- Super-micro size 5.5" for easy carry
- Reversible for Schrader, Presta
- Suggested max. pressure: 120 psi (8 bar)
- For road bike
- For supported versions of smart mobile devices & more information, please browse iGauge website ([www.airace-cycling.com](http://www.airace-cycling.com))

**產品特色**

- 配備藍牙4.0:可透過打氣筒上的藍牙,直接在智慧型行動裝置的應用程式"iGauge"上,讀取打氣筒的壓力值
- 超迷你 14 公分,便於攜帶
- 適用美式嘴、法式嘴
- 建議最高壓力值120psi (8 bar)
- 適用於公路車
- 適用的智慧型行動裝置版本和更多資訊,請參考iGauge網站 ([www.airace-cycling.com](http://www.airace-cycling.com)) (AP-46BT)
- LENGTH: 13.8cm WEIGHT: 80.8g

## MOUNTAIN



## iWINDPRO V.1 MTB

**Features:**

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- Small size 7.8" for easy carry
- Reversible for Schrader, Presta
- Suggested max. pressure: 120 psi (8 bar)
- For road bike
- For supported versions of smart mobile devices & more information, please browse iGauge website ([www.airace-cycling.com](http://www.airace-cycling.com))

**產品特色**

- 配備藍牙4.0:可透過打氣筒上的藍牙,直接在智慧型行動裝置的應用程式"iGauge"上,讀取打氣筒的壓力值
- 超迷你 14 公分,便於攜帶
- 適用美式嘴、法式嘴
- 建議最高壓力值120psi (8 bar)
- 適用於登山車
- 適用的智慧型行動裝置版本和更多資訊,請參考iGauge網站 ([www.airace-cycling.com](http://www.airace-cycling.com)) (AP-46BT)
- LENGTH: 13.8cm WEIGHT: 80.8g

## ROAD



## iWINDPRO V.2 RD

**Features:**

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- Super-micro size 5.5" for easy carry
- Reversible for Schrader, Presta
- Suggested max. pressure: 120 psi (8 bar)
- For road bike
- For supported versions of smart mobile devices & more information, please browse iGauge website ([www.airace-cycling.com](http://www.airace-cycling.com))

**產品特色**

- 配備藍牙4.0:可透過打氣筒上的藍牙,直接在智慧型行動裝置的應用程式"iGauge"上,讀取打氣筒的壓力值
- 超迷你 14 公分,便於攜帶
- 適用美式嘴、法式嘴
- 建議最高壓力值120psi (8 bar)
- 適用於公路車
- 適用的智慧型行動裝置版本和更多資訊,請參考iGauge網站 ([www.airace-cycling.com](http://www.airace-cycling.com)) (AP-43BT)
- LENGTH: 19.8cm WEIGHT: 113.9g



Pump pressure can be read on smart mobile devices

## MOUNTAIN



### iWINDPRO V.2 MTB

#### Features:

- Equipped with Bluetooth 4.0 technology: Pump pressure can be read on smart mobile devices via Bluetooth using "iGauge" APP
- Small size 7.8" for easy carry
- Reversible for Schrader, Presta
- Suggested max. pressure: 80 psi (5.5 bar)
- For mountain bike
- For supported versions of smart mobile devices & more information, please browse iGauge website ([www.airace-cycling.com](http://www.airace-cycling.com))

**產品特色**  
 • 配備藍牙4.0:可透過打氣筒上的藍牙,直接在智慧型行動裝置的應用程式"iGauge"上讀取打氣筒的壓力值  
 • 迷你尺寸 20 公分,便於攜帶  
 • 適用美式嘴、法式嘴  
 • 建議最高壓力值80psi (5.5 bar)  
 • 適用於登山車  
 • 適用的智慧型行動裝置版本和更多資訊,請參考iGauge網站 ([www.airace-cycling.com](http://www.airace-cycling.com)) (AP-45BT)

LENGTH: 19.8cm WEIGHT: 136.4g



Pump pressure can be read on smart mobile devices

## ROAD

### WINDPRO V.1 RD

#### Features:

- Alum mini pump
- Innovative alum Thumb-Lock lever
- Reversible for Schrader, Presta
- Suggested max. pressure: 120 psi (8 bar)
- For road bike

**產品特色**  
 • 鋁合金攜帶式打氣筒  
 • 創新鋁合金指壓式扳手  
 • 適用美式嘴、法式嘴  
 • 建議最高壓力值:120psi (8 bar)  
 • 適用於公路車  
 (AP-43L)

LENGTH: 18.8cm WEIGHT: 107.5g

## MOUNTAIN

### WINDPRO V.1 MTB

#### Features:

- Alum mini pump
- Innovative alum Thumb-Lock lever
- Reversible for Schrader, Presta
- Suggested max. pressure: 80 psi (5.5 bar)
- For mountain bike

**產品特色**  
 • 鋁合金攜帶式打氣筒  
 • 創新鋁合金指壓式扳手  
 • 適用美式嘴、法式嘴  
 • 建議最高壓力值:80psi (5.5 bar)  
 • 適用於登山車  
 (AP-45L)

LENGTH: 18.8cm WEIGHT: 126.8g



## MOUNTAIN

### WINDPRO V2 MT

#### Features:

- Innovation designed alum inner barrel mini pump
- Alum top Thumb-Lock lever and valve cap
- Reversible for Schrader, Presta
- Suggested max. pressure: 100 psi (7 bar)
- For mountain bike

**產品特色**  
 • 鋁合金攜帶式打氣筒  
 • 鋁合金指壓式扳手、風嘴蓋  
 • 適用美式嘴、法式嘴  
 • 建議最高壓力值:100psi (7 bar)  
 • 適用於登山車  
 (AP-48A)

LENGTH: 20.8cm WEIGHT: 117.8g



## ROAD


### WINDPRO V2 RD

#### Features:

- Innovation designed alum inner barrel mini pump
- Alum top Thumb-Lock lever and valve cap
- Reversible for Schrader, Presta and Dunlop
- Max. pressure 80 psi (5.5 bar)
- Dust-cap

**產品特色**  
 • 鋁合金攜帶式打氣筒  
 • 鋁合金指壓式扳手  
 • 可轉換美式嘴、法式嘴與德式氣嘴  
 • 最高壓力80psi (5.5 bar)  
 • 防塵蓋  
 (AP-06)

LENGTH: 20.8cm WEIGHT: 103.7g



**產品特色**  
 • T型手柄 6063 鋁合金汽缸  
 • 鋁合金嘴頭  
 • 可轉換美式嘴、法式嘴與德式氣嘴  
 • 最高壓力80psi (5.5 bar)  
 • 防塵蓋  
 (AP-06)

LENGTH: 26.0cm WEIGHT: 163g

## MOUNTAIN

### JET HV

#### Features:

- T-handle , 6063 alum barrel
- Alum lever
- Reversible Schrader, Presta and Dunlop
- Max. pressure 80 psi (5.5 bar)
- Dust-cap

**產品特色**  
 • T型手柄 6063鋁合金汽缸  
 • 鋁合金嘴頭  
 • 可轉換美式嘴、法式嘴與德式氣嘴  
 • 最高壓力80psi (5.5 bar)  
 • 防塵蓋  
 (AP-06)

LENGTH: 26.0cm WEIGHT: 163g

## MOUNTAIN

## ROAD

### SPEED FF


**Features:**

- Anti-pinch T-Handle w/safety lock
- Foldable stainless steel pedal
- Rotatable hose for better operation
- Clever Valve: Automatically change for Presta and Schrader
- W/alum valve cap and lever
- Aluminum barrel
- 1.75" dial gauge
- Max. pressure 120 psi (8 bar)

**產品特色**

- 防夾 T 把手,附安全卡桿按鈕
  - 可折疊不鏽鋼踏板
  - 可旋轉式軟管,便於操作
  - 聰明頭設計,可自動切換美式嘴與法式嘴
  - 鋁合金風嘴蓋、扳手
  - 鋁合金汽缸
  - 帶有1.75吋圓錐
  - 最高壓力120psi (8 bar)
- (AM-97)

LENGTH: 43.0cm WEIGHT: 320g



140 c.c  
HIGH VOLUME

### SPEED F3

**Features:**

- Anti-pinch T-Handle w/safety lock
- Foldable anti-rebound stainless steel pedal fixing lock
- Rotatable hose for better operation
- Clever Valve: Automatically change for Presta and Schrader
- W/alum valve cap and lever
- Aluminum barrel
- 1.5" dial gauge
- Max. pressure 120 psi (8 bar)

**產品特色**

- 防夾 T 把手,附安全卡桿按鈕
  - 可折疊不鏽鋼踏板,踏板有固定卡桿
  - 防止反彈
  - 可旋轉式軟管,便於操作
  - 聰明頭設計,適用於美式嘴與法式嘴
  - 鋁合金風嘴蓋、扳手
  - 鋁合金汽缸
  - 帶有1.75吋圓錐
  - 最高壓力120psi (8 bar)
- (AM-96)

LENGTH: 33.7cm WEIGHT: 192.9g



Lock T-Handle

pedal fixing lock

## MOUNTAIN

## ROAD

### SPEED F2

**Features:**

- Mini floor pump for fixed on frame
- Extractable hose
- High volume
- T-handle, Alum barrel
- Reversible for Schrader, Presta and Dunlop
- Alum lever and valve cap
- Max. pressure 140 psi (9.5 bar)

**產品特色**

- 車架固定型的落地式打氣筒
- 隱藏式可伸縮膠管
- 高效能,大氣量
- 摺疊式 T 型手柄,鋁合金氣筒
- 可轉換美式嘴、法式嘴與德式氣嘴
- 鋁合金指壓鎖柄與氣嘴蓋
- 最高壓力140psi (9.5 bar)

(AM-09)


LENGTH: 32.0cm WEIGHT: 210g



white silver



High quality  
CNC gauge



white



silver



white



## SHOCK

## ROAD

## MOUNTAIN

## ROAD



## JET DG

- Features:**
- Dynamic display LCD digital gauge
  - Unit switch function — PSI, BAR and KG/CM<sup>2</sup>
  - 2-3 PSI micro adjust button
  - Alum barrel
  - Foldable hose
  - Non-Scratch rubber sealed head
  - Max. pressure 300 psi (21 bar)

**產品特色**  
•動態顯示液晶電子面板  
•單位切換功能 — 可切換  
PSI, BAR and KG/CM<sup>2</sup>  
•2-3 PSI 微調鈕  
•鋁合金汽缸  
•摺疊式軟管  
•免刮傷氣密風嘴頭  
•最高壓力300psi (21 bar)  
(AS-05)

LENGTH: 29.6cm WEIGHT: 220.9g



## Turbo Road S/CO2

- Features:**
- 2 in 1 CO2/mini pump for road bike
  - Cartridge-twist-back for air-release-control design
  - Release the air or stop releasing the air by twisting the CO2 cartridge
  - Twin-Valve with separate airflow system which confirms safety for tire inflator and hand pump
  - Valve for CO2 inflator and hand pump: Available for Presta and Dunlop
  - Max. pressure 120 psi (8 bar)
  - CO2 size: 16 grams with thread

**產品特色**  
•公路車專用,CO2/手動攜帶式,  
迷你氣筒  
•倒轉CO2鋼瓶來控制空氣注入到  
輪胎的設計  
•藉由轉動CO2鋼瓶來釋出或終止  
氣體釋放  
•CO2氣瓶之氣流與手動打氣的氣流  
分隔之雙頭設計,氣流自不同通道  
釋放,提高並確保使用的安全  
•CO2打氣筒之氣嘴:適用法式嘴與  
德式氣嘴  
•手動打氣筒之氣嘴:適用法式嘴與  
德式氣嘴  
•手動打氣筒之氣嘴:適用法式嘴與  
德式氣嘴  
•最高壓力值120psi (8 bar)  
•CO2氣瓶尺寸:16公克有螺牙  
(AC-05S)

LENGTH: 14.5cm WEIGHT: 77.5g




## Turbo Mountain S/CO2

- Features:**
- 2 in 1 CO2/mini pump for mountain bike
  - Cartridge-twist-back for air-release-control design
  - Release the air or stop releasing the air by twisting the CO2 cartridge
  - Twin-Valve with separate airflow system which confirms safety for tire inflator and hand pump
  - Valve for CO2 inflator and hand pump: Available for Presta and Dunlop
  - Max. pressure 80 psi (5.5 bar)
  - CO2 size: 16 grams with thread

**產品特色**  
•登山車專用,CO2/手動攜帶式,  
迷你氣筒  
•倒轉CO2鋼瓶來控制空氣注入到  
輪胎的設計  
•藉由轉動CO2鋼瓶來釋出或終止  
氣體釋放  
•CO2氣瓶之氣流與手動打氣的氣流  
分隔之雙頭設計,氣流自不同通道  
釋放,提高並確保使用的安全  
•CO2打氣筒之氣嘴:適用法式嘴與  
德式氣嘴  
•手動打氣筒之氣嘴:適用法式嘴與  
德式氣嘴  
•手動打氣筒之氣嘴:適用法式嘴與  
德式氣嘴  
•最高壓力值80psi (5.5 bar)  
•CO2氣瓶尺寸:16公克有螺牙  
(AC-05S)

LENGTH: 14.0cm WEIGHT: 97.6g



## ROAD

## MOUNTAIN

## ROAD



## Turbo Road/CO2

- Features:**
- 2 in 1 CO2/mini pump for road bike
  - Cartridge-twist-back for air-release-control design
  - Release the air or stop releasing the air by twisting the CO2 cartridge
  - Twin-Valve with separate airflow system which confirms safety for tire inflator and hand pump
  - Valve for tire inflator and hand pump: Available for Presta and Dunlop
  - Max. pressure 120 psi (8 bar)
  - CO2 cartridge size: 16 grams with thread

**產品特色**  
•公路車專用,CO2/手動攜帶式,  
迷你氣筒  
•倒轉CO2鋼瓶來控制空氣注入到  
輪胎的設計  
•藉由轉動CO2鋼瓶來釋出或終止  
氣體釋放  
•CO2氣瓶之氣流與手動打氣的氣流  
分隔之雙頭設計,氣流自不同通道  
釋放,提高並確保使用的安全  
•CO2打氣筒之氣嘴:適用法式嘴與  
德式氣嘴  
•手動打氣筒之氣嘴:適用法式嘴與  
德式氣嘴  
•手動打氣筒之氣嘴:適用美式嘴、  
法式嘴與德式氣嘴  
•最高壓力值120psi (8 bar)  
•CO2氣瓶尺寸:16公克有螺牙  
(AC-05)

LENGTH: 14.0cm WEIGHT: 97.6g



## Turbo Mountain/CO2

- Features:**
- 2 in 1 CO2/mini pump for mountain bike
  - Cartridge-twist-back for air-release-control design
  - Release the air or stop releasing the air by twisting the CO2 cartridge
  - Twin-Valve with separate airflow system which confirms safety for tire inflator and hand pump
  - Valve for tire inflator and hand pump: Reversible for Schrader and Presta
  - Valve for hand pump: Reversible for Schrader, Presta and Dunlop
  - Max. pressure 80 psi (5.5 bar)
  - CO2 cartridge size: 16 grams with thread

**產品特色**  
•登山車專用,CO2/手動攜帶式,  
迷你氣筒  
•倒轉CO2鋼瓶來控制空氣注入到  
輪胎的設計  
•藉由轉動CO2鋼瓶來釋出或終止  
氣體釋放  
•CO2氣瓶之氣流與手動打氣的氣流  
分隔之雙頭設計,氣流自不同通道  
釋放,提高並確保使用的安全  
•CO2打氣筒之氣嘴:適用美式嘴與  
法式氣嘴  
•手動打氣筒之氣嘴:適用美式嘴、  
法式嘴與德式氣嘴  
•最高壓力值80psi (5.5 bar)  
•CO2氣瓶尺寸:16公克有螺牙  
(AC-06)

LENGTH: 23.0cm WEIGHT: 190g



## ROAD

## MOUNTAIN

## ROAD



### Turbo Micro 6

**Features:**

- Precision Gas Control: Prevent premature CO2 leakage upon cartridge insertion
- CNC Alum inflator body
- Micro size for easy carrying
- Control cap easy to control air flow
- Fit for Presta and Schrader
- Fit for CO2 cartridge w/thread
- Attach with 16g/20g cartridge cover (Optional 25g cartridge cover)

**產品特色**

- 精準氣流控制,插入氣瓶時,可預防初期氣體流出
- CNC鋁合金充氣本體
- 迷你尺寸便於攜帶
- 透過旋鈕來控制氣體流出
- 適用法式嘴與美式嘴
- 適用有牙CO2氣瓶
- 附鋼瓶套,適用16克/20克CO2氣瓶(可選配25克專用鋼瓶)(AC-10)

LENGTH: 3.8cm WEIGHT: 27.1g



### Turbo Micro

**Features:**

- Micro size CO2 inflator
- Cartridge-twist-back for air-release-control design
- Release the air or stop releasing the air by twisting the CO2 cartridge
- Compact and easy to carry out
- Clever Valve for Presta and Schrader
- CO2 cartridge size: 16 grams with thread

**產品特色**

- 迷你尺寸CO2打氣筒
- 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計
- 藉由旋轉CO2鋼瓶來釋出氣體或終止氣體釋放
- 輕巧便於攜帶
- 適用美式嘴與法式嘴
- CO2氣瓶尺寸:16公克有螺牙(AC-02)

LENGTH: 3.7cm WEIGHT: 26.1g



### Turbo Micro 2


**Features:**

- Micro size CO2 inflator
- Cartridge-twist-back for air-release-control design
- Release the air or stop releasing the air by twisting the CO2 cartridge
- Compact and easy to carry out
- Clever Valve for Presta and Schrader
- CO2 cartridge size: 16 grams with thread

**產品特色**

- 迷你尺寸CO2打氣筒
- 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計
- 藉由旋轉CO2鋼瓶來釋出氣體或終止氣體釋放
- 輕巧便於攜帶
- 適用美式嘴與法式嘴
- CO2氣瓶尺寸:16公克有螺牙(AC-02)

LENGTH: 4.3cm WEIGHT: 21g



### Turbo Micro 3


**Features:**

- Micro size CO2 inflator
- Release the air or stop releasing the air by twisting the CO2 cartridge
- Clever Valve for Presta and Schrader
- User-friendly CO2 cartridge storage
- Clever Valve for Presta and Schrader
- CO2 cartridge size: 16 grams with thread

**產品特色**

- 迷你尺寸CO2打氣筒
- 藉由旋轉CO2鋼瓶來釋出氣體或終止氣體釋放
- 人性化CO2鋼瓶儲放槽
- 聰明頭設計,適用美式嘴與法式氣嘴
- CO2氣瓶尺寸:16公克有螺牙(AC-08)

LENGTH: 4.4cm WEIGHT: 26g



### Turbo Micro 4

**Features:**

- Micro size CO2 inflator
- Twist the knob to control the air-flow
- Clever Valve for Presta and Schrader
- CO2 cartridge size: 16 grams with thread

**產品特色**

- 迷你尺寸CO2打氣筒
- 藉由旋轉CO2鋼瓶來控制氣流量
- 人性化CO2鋼瓶儲放槽
- 聰明頭設計,適用美式嘴與法式氣嘴
- CO2氣瓶尺寸:16公克有螺牙(AC-08)

LENGTH: 4.3cm WEIGHT: 22.2g



### Turbo Micro 5

**Features:**

- Alum one piece CNC machined Micro size CO2 inflator
- Twist CO2 cartridge to control the air-flow
- Clever Valve fit for Schrader and Presta
- More efficient when using with wing design
- Fit for cartridge with thread

**產品特色**

- 一體成型鋁合金迷你尺寸CO2充氣接頭
- 藉由旋轉CO2鋼瓶來控制氣流量
- 雙翼設計,使用時更省力
- 適用有牙氣瓶(AC-09)

LENGTH: 2.8cm WEIGHT: 11.7g

## TIRE LEVER



**HARD-TL**  
High-polish finish  
鏡面拋光  
(AT-01)

**HARD-TLM**  
Silver anodize  
表面銀色陽極  
(AT-02)

**Features:**  
• Aluminum tire lever with plastic rim protector

**產品特色**  
• 鋁合金材質挖胎棒,附有創新設計的輪框保護片  
LENGTH: 10.5cm WEIGHT: 18.4g/piece



**ECONO-TL**

**Features:**  
• Nylon w/fiber  
• 12 set (24 pieces) in one color box

**產品特色**  
• 豐固耐用的尼龍加纖維材質  
• 每一彩盒12組(24支)裝  
(AT-03)  
LENGTH: 11.6cm WEIGHT: 10.6g/piece



**Handy Pro**

**Features:**

- CO2 inflator and tire lever complex design
- Cartridge-twist-back for air-release-control design, valve fit for Schrader & Presta
- Release the air or stop releasing the air by twisting the CO2 cartridge
- Fit for Presta and Schrader
- Aluminum tire lever with plastic rim protector
- High-Polish finish
- CO2 size: 16 grams with thread

**產品特色**  
• 複合式設計,結合CO2打氣筒跟鋁挖胎棒  
• 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計,適用美式嘴和法式嘴  
• 由旋轉CO2鋼瓶來釋出氣體或中止氣體釋放  
• 適用美式嘴和法式嘴  
• 鋁合金材質挖胎棒,其前端為創新設計的輪框保護片  
• 鏡面拋光  
• CO2氣瓶尺寸:16公克有螺牙  
(ACT-02)  
LENGTH: 11.6cm WEIGHT: 10.6g/piece



## TIRE LEVER



**HANDY-E**

**Features:**

- CO2 inflator and tire lever complex design
- Cartridge-twist-back for air-release-control design, valve fit for Presta & Schrader
- Economic plastic tire lever
- CO2 size: 16 grams with thread

**產品特色**  
• 複合式設計,結合CO2打氣筒跟鋁挖胎棒  
• 倒轉CO2鋼瓶來控制空氣注入到輪胎的設計,適用美式嘴和法式嘴  
• 入門款經濟型挖胎棒  
• CO2氣瓶尺寸:16公克有螺牙  
(ACT-03)  
LENGTH: 13.0cm WEIGHT: 23.6g/piece

## TIRE GAUGE



**ROADSTER DG**

**Features:**

- Dynamic display LCD digital panel
- Designed for high pressure road bike tire
- Twin-Valve for Schrader and Presta
- Max. pressure reading 300 psi (21 bar)
- Unit switch function — PSI, BAR and KG/CM<sup>2</sup>

**產品特色**  
• 自黏性免膠補胎片,適用於公路車與登山車在騎乘的胎壓需求  
• 每小盒內含:  
5 片免膠補胎片(圓形Ø25mm),  
1 片內胎砂紙(方形28x28mm),  
• 每組12小盒裝輕巧薄片盒裝設計,便於攜帶  
(AGL-01)  
LENGTH: 8.0cm WEIGHT: 44.2g

## GLUELESS PATCH KIT



**PASTER**

**Features:**

- Self adhesive patch works on road and mountain bike applications

**產品特色**

• 自黏性免膠補胎片,適用於公路車與登山車在騎乘的胎壓需求  
• 每小盒內含:  
5 片免膠補胎片(圓形Ø25mm),  
1 片內胎砂紙(方形28x28mm),  
• 每組12小盒裝輕巧薄片盒裝設計,便於攜帶  
(AGL-01)  
LENGTH: 8.0cm WEIGHT: 44.2g

## CO2 CARTRIDGE SET

Floor Pump Series

Mini Pump Series

Tool Series

E-PUMP



**COBO-20**

**Features:**

- 16g CO2 cartridge w/thread
- 20 pcs in one color box


**產品特色**  
• 16 克CO2鋼瓶組,有牙紋  
• 20 支CO2鋼瓶一盒裝  
(COBO-20)



## TOOLS SERIES


TT  
19

19 IN 1 UNTRA-THIN  
FOLDING TOOL SET




Mini Pump Series

FIT REGULAR / CNC / CARBON / ROAD / H2



TT-19



TT-20



FT-19



FT-21

## TOOLS SERIES

TT  
20

20 IN 1 UNTRA-THIN  
FOLDING TOOL SET

### Features:

- Cr-V Metallic tools with forged arm
- White with chrome finished hex 2.2.5. 3.4.5.6.8mm
- 3.4.5.6.8mm
- T25, Philip #1,#2 / flat / T25
- Stainless plate with 8.9.10.12mm box wrench, 14/15/16G spoke wrench and bottle opener

### "19"功能超薄摺疊手工具組

#### 產品特色

- 鋼鉻鋼材質,鍛造外框把柄
- 白 / 銀兩色表面處理2.2.5.3.4.5.6.8mm
- 內六角扳手
- 十字型1號,2號/一字型/T25起子
- 附有8.9.10.12mm套筒扳手,14/15/16G鋼絲扳手與開瓶器的不銹鋼施力片

(ATT-04)

LENGTH: 8.5cm

WEIGHT: 140g

#### ATT-04

LENGTH: 8.5cm

WEIGHT: 140g

#### ATT-03

LENGTH: 8.5cm

WEIGHT: 230g

#### ATT-02

LENGTH: 8.5cm

WEIGHT: 163g

#### ATT-01

LENGTH: 8.5cm

WEIGHT: 163g

#### ATT-00

LENGTH: 8.5cm

WEIGHT: 163g

#### ATT-05

LENGTH: 8.7cm

WEIGHT: 230g

#### ATT-04

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-03

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-02

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-01

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-00

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-05

LENGTH: 8.7cm

WEIGHT: 230g

#### ATT-04

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-03

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-02

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-01

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-00

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-05

LENGTH: 8.7cm

WEIGHT: 230g

#### ATT-04

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-03

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-02

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-01

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-00

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-05

LENGTH: 8.7cm

WEIGHT: 230g

#### ATT-04

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-03

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-02

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-01

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-00

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-05

LENGTH: 8.7cm

WEIGHT: 230g

#### ATT-04

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-03

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-02

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-01

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-00

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-05

LENGTH: 8.7cm

WEIGHT: 230g

#### ATT-04

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-03

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-02

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-01

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-00

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-05

LENGTH: 8.7cm

WEIGHT: 230g

#### ATT-04

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-03

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-02

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-01

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-00

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-05

LENGTH: 8.7cm

WEIGHT: 230g

#### ATT-04

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-03

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-02

LENGTH: 8.7cm

WEIGHT: 163g

#### ATT-01

LENGTH: 8.7cm

WEIGHT: 163g

####

## TOOLS SERIES

ECONO  
9

9 IN 1 NUT-FREE  
BENDING ALLEN KEY TOOLS

ECONO  
14

14 IN 1 NUT-FREE  
BENDING ALLEN KEY TOOLS

### Features:

- Cr-V material with dark nickel finish
- Innovative Nut-Free design
- High strength arms
- Hex key 2, 3, 4, 5, 6, 8 mm
- Philip #2 / Flat / T25

### "9 合 1"無螺帽設計 9 字型六角扳手摺疊工具組

產品特色  
• 鋼鉻鋼材質,表面黑色鍍鎳處理  
• 創新無螺帽設計  
• 高強度側柄  
• 2, 3, 4, 5, 6, 8 mm內六角扳手  
• 十字型 2 號 / 一字型 / T25起子  
(ECONO-9)

LENGTH: 7.3cm WEIGHT: 121g



ECONO-9



ECONO-14

## Floor Pump Series

## Mini Pump Series

## Tool Series

## E-PUMP

ACNC  
8

8 IN 1 NUT-FREE  
CNC ALLEN KEY TOOLS

ACNC  
14

14 IN 1 NUT-FREE  
CNC ALLEN KEY TOOLS

ACC  
01

12 SPEED  
CHAIN BREAKER

### Features:

- Cr-V material with polish chrome plated finish
- Innovative Nut-Free design
- Dual anodized alloy arms
- Hex key 2, 3, 4, 5, 6 mm
- Philip #2 / Flat / T25

### "8 合 1"無螺帽設計 CNC 六角扳手摺疊工具組

產品特色  
• 鋼鉻鋼材質,表面拋光鍍鎳處理  
• 創新無螺帽設計  
• 鋁合金雙色陽極側柄  
• 2, 3, 4, 5, 6 mm內六角扳手  
• 十字型 2 號 / 一字型 / T25起子  
(ACNC-8)

LENGTH: 7.4cm WEIGHT: 74.6g



ACNC-8



ACNC-14



ACC-01


## Floor Pump Series

## Mini Pump Series

## Tool Series

## E-PUMP

**Professional Quality**  
Simple innovation, Storage 8mm hex function inside.  
High quality metal finish.





Tools Series  
TT19/TT20/FT19/FT21

## IDEAS FOR CONVENIENCE

**AIRACE**



IDEAS FOR CONVENIENCE

10 years on, AIRACE is leading the pack in bicycle pump research and product development. AIRACE benefits from more than a decade of improving and inventing new pump designs. The company draws, not only from many years of experience, but also from a solid global network of marketeers who gather important market information year-on year-out. This enables AIRACE to stay close to the market and better understand market trends and consumer needs.


Today, AIRACE produces bicycle pumps and tools that integrate simple yet trend setting designs with all the basic requirements of a good pump.

AIRACE products are eye-catching, unique, comfortable and easy to use.

## Airstormer E-pump

AE  
01

Portable Electric Pump  
with rotaty hose



### Features:

- Easily preset or manually set for precise pressure control

- 4 different preset pressure modes

- LED large screen display

- Flashlight with SOS flashing function

- Rotating hose with air-bleeding button

- » Adjust tire pressure for different road surface

- Patented One-handed operating quick lock/quick release Schrader pump head

- Included with ball needle, plastic valve, Presta adaptor, type-C charging cable and carry bag

- Maximum pressure : 150 psi

- For 8 bicycle tires 0 to 120 psi (700C\*23)

### 產品特色

- 精準壓力設定控制

- 4 種不同預設壓力模式

- LED 顯示螢幕

- 手電筒功能(附 SOS 閃光燈)

- 附有洩氣鈕的旋轉式軟管

- 可調整胎壓適應不同地形

- 專利：單手操作快鎖/快拆美式氣嘴

- 內含球針、充氣嘴、法式轉接頭、TYPE-C 充電線及

- 及 E-PUMP 束口袋

(AE-01)

HEIGHT: 16.9cm

WEIGHT: 0.482kg





▲ One-handed operating  
quick lock/quick release  
Schrader pump head

Floor Pump Series

Mini Pump Series

Tool Series

E-PUMP



## Airstormer E-pump transformer

AE  
02

Pocket Size  
E-pump



E-PUMP



### Features:

- Separated design for better holding and easily storage
- Jersey pocket size
- Water-resostamt when mounted on bracket
- 30 minutes fast charging
- 80 seconds fast inflation to 80 psi
- For 2 bicycle tires 0 to 80 psi (700C\*25)
- For 4 bicycle tires 0 to 60 psi (700C\*25)
- Mounting bracket on bicycle included
- Max. pressure 100 psi

### 產品特色

- 分離式設計提供較好握持與攜帶性
- 可放車衣口袋
- 裝上固定夾後即可防水
- 30分鐘快充
- 80秒快速充氣到80psi
- 內含固定夾  
(AE-02)

HEIGHT: 12.9cm WEIGHT: 0.117kg





## EXCLUSIVE AGENTS



### Italy

Alaracing S.r.l.  
TEL: 0743/46.090  
e-mail: fausto.duranti@alaracing.it

### Poland

Arkus & Romet Group  
TEL: +48 14 68 48 183  
e-mail: sekretariat@romet.pl

### Uruguay

BiciFan Uruguay  
TEL: +598 4362 9000  
e-mail: info@bicifan.uy

### USA

BV USA Enterprises.  
TEL: +1 877-985-5888  
e-mail: robert@iberausa.com

### Malaysia

Centro Cycle Sdn Bhd  
TEL: +6012 9693175

### Italy

Comet Bicycle Association  
TEL: +82 31 7958357  
e-mail: hckim@cometbicycle.com

### Japan

Custom Japan Co., Ltd  
TEL: +81-6-6634-1739  
e-mail: buyer39@customjapan.jp

### Denmark

Cykelpartner  
TEL: +45 39403131  
e-mail: sth@cykelpartner.dk

### Canada

D'Amour Bicycle & Sports inc.  
TEL: 514-637-6511  
e-mail: info@damourbicycle.com

### Germany

ENJOYYOURBRANDS GmbH  
TEL: +49 511 200 290 99  
e-mail: purchase@enjoyyourbrands.com

### Korea

Entro International Pte Ltd  
TEL: +65 6749 4060  
e-mail: johnny@entro.com.sg

### Singapore

LA Bicycle (Thailand) Co., Ltd.  
TEL: +662 8127951-54  
Website: www.la-bicycle.com/

### Thailand

RA-CO GmbH  
TEL: +49 36203 614-45  
e-mail: service@ra-co.de

### China

Shakeland  
昆山鑫振發商貿  
TEL: 0512-50338912  
e-mail: ogn5@hotmail.com

### Taiwan

擎翔國際有限公司  
TEL: 07-310618  
e-mail: hjohnny400@msn.com

